
DESK MATRIX

With the Desk Matrix, our Linescapes System can now configured be in rectangular and square shapes, both vertically and horizontally. Sleek continuous light lines with an infinite number of constellations to fit any table size or interior design need. Available in 2700K or 3000K CCT, black or white finishing. Compositions come fully equipped to work right out of the box, 1-10 V dimmable driver and its case included.



DESK MATRIX | 17"X17" - HORIZONTAL 2700K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW2 51 LSH LN2 51

PACKAGE


Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
24W
diffused, orientable 360°
dimmable 1-10V
120V
2700K
1340lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'





DESK MATRIX | 17"X17" - VERTICAL 2700K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSV LW2 51 LSV LN2 51

PACKAGE

Package 01

Package 02


Package 03

Certificazioni **CEERE**

Linear LED
24W
diffused, orientable 360°
dimmable 1-10V
120V
2700K
1340lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'



Dimension: 6.3x4.33x15.75 inches / Net weight: 5.73 lbs / Gross weight: 6.61 lbs
Dimension: 3.54x1.97x16.54 inches / Net weight: 0.66 lbs / Gross weight: 1.1 lbs
Dimension: 3.54x1.97x16.54 inches / Net weight: 0.66 lbs / Gross weight: 1.1 lbs



DESK MATRIX | 17"X17" - HORIZONTAL 3000K

white

black

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW3 51 LSH LN3 51

PACKAGE


Package	01
---------	----

Package 02

Package 03

Certificazioni **CEERE**

Linear LED
24W
diffused, orientable 360°
dimmable 1-10V
120V
3000K
1340lm (source luminous flux)
85
Α+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'
Structure



DESK MATRIX | 17"X17" - VERTICAL 3000K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSV LW3 51 LSV LN3 51

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED 24W diffused, orientable 360° dimmable 1-10V 120v 3000K 1340Im (source luminous flux) 85 A+ aluminium + PC + ABS Boxed driver included (movable), adjustable cable length 9.8'

Structure white black



DESK MATRIX | 17"X25" - HORIZONTAL 2700K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW2 55 LSH LN2 55

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
31W
diffused, orientable 360°
dimmable 1-10V
120V
2700K
1870lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'





DESK MATRIX | 17"X25" - VERTICAL 2700K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSV LW2 55 LSV LN2 55

PACKAGE

Package 01

Package 02


Package 03

Certificazioni **CEERE**

Linear LED
31W
diffused, orientable 360°
dimmable 1-10V
120V
2700K
1870lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'



Dimension: 6.3x4.33x15.75 inches / Net weight: 5.73 lbs /
Gross weight: 6.61 lbs
Dimension: 3.54x1.97x16.54 inches / Net weight: 0.66 lbs / Gross weight: 1.1 lbs
Dimension: 3.54x1.97x25.98 inches / Net weight: 1.1 lbs / Gross weight: 1.76 lbs



DESK MATRIX | 17"X25" - HORIZONTAL 3000K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW3 55 LSH LN3 55

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
31W
diffused, orientable 360°
dimmable 1-10V
120V
3000K
1870lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'





DESK MATRIX | 17"X25" - VERTICAL 3000K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSV LW3 55 LSV LN3 55

PACKAGE


Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
31W
diffused, orientable 360°
dimmable 1-10V
120V
3000K
1870lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'





DESK MATRIX | 17"X45" - HORIZONTAL 2700K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW2 58 LSH LN2 58

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
50W
diffused, orientable 360°
dimmable 1-10V
120V
2700K
29201m (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'

Structure		
white		
black		



DESK MATRIX | 17"X45" - VERTICAL 2700K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSV LW2 58 LSV LN2 58

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
50W
diffused, orientable 360°
dimmable 1-10V
120V
2700K
2920lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'





DESK MATRIX | 17"X45" - HORIZONTAL 3000K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW3 58 LSH LN3 58

PACKAGE

Package 01

Package 02


Package 03

Certificazioni **CEERE**

Linear LED
50W
diffused, orientable 360°
dimmable 1-10V
120V
3000K
2920lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'



Dimension: 6.3x4.33x15.75 inches / Net weight: 5.73 lbs / Gross weight: 6.61 lbs
Dimension: 3.54x1.97x45.28 inches / Net weight: 2.2 lbs /
Gross weight: 3.3 lbs
Dimension: 3.54x1.97x16.54 inches / Net weight: 0.66 lbs / Gross weight: 1.1 lbs



DESK MATRIX | 17"X45" - VERTICAL 3000K

LAMPING

Source		
Total power		
Emission		
Switching		
Tension		
Color temperature		
Luminous flux		
Typ CRI		
Energy class		
Materials		
Notes		

Codes

LSV LW3 58 LSV LN3 58

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
50W
diffused, orientable 360°
dimmable 1-10V
120V
3000K
2920lm (source luminous flux)
85
Α+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'





DESK MATRIX | 17"X70" - HORIZONTAL 2700K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW2 5A LSH LN2 5A

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
78W
diffused, orientable 360°
dimmable 1-10V
120V
2700K
4200lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'

Structure		
white		
black		



DESK MATRIX | 17"X70" - VERTICAL 2700K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSV LW2 5A LSV LN2 5A

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
78W
diffused, orientable 360°
dimmable 1-10V
120V
2700K
4200lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'





DESK MATRIX | 17"X70" - HORIZONTAL 3000K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW3 5A LSH LN3 5A

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
78W
diffused, orientable 360°
dimmable 1-10V
120V
3000K
4200lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'

Structure			
white			
black			



DESK MATRIX | 17"X70" - VERTICAL 3000K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSV LW3 5A LSV LN3 5A

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
78W
diffused, orientable 360°
dimmable 1-10V
120V
3000K
4200lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'





DESK MATRIX | 25"X25" - HORIZONTAL 2700K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW2 52 LSH LN2 52

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
38W
diffused, orientable 360°
dimmable 1-10V
120V
2700K
2400lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'





DESK MATRIX | 25"X25" - VERTICAL 2700K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSV LW2 52 LSV LN2 52

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
38W
diffused, orientable 360°
dimmable 1-10V
120V
2700K
2400lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'





DESK MATRIX | 25"X25" - HORIZONTAL 3000K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW3 52 LSH LN3 52

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
38W
diffused, orientable 360°
dimmable 1-10V
120V
3000K
2400lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'

Structure			
white			
black			



DESK MATRIX | 25"X25" - VERTICAL 3000K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSV LW3 52 LSV LN3 52

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
38W
diffused, orientable 360°
dimmable 1-10V
120V
3000K
2400lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'





DESK MATRIX | 25"X45" - HORIZONTAL 2700K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW2 56 LSH LN2 56

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
57W
diffused, orientable 360°
dimmable 1-10V
120V
2700K
3450lm (source luminous flux)
85
Α+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'





DESK MATRIX | 25"X45" - VERTICAL 2700K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSV LW2 56 LSV LN2 56

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
57W
diffused, orientable 360°
dimmable 1-10V
120V
2700K
34501m (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'





DESK MATRIX | 25"X45" - HORIZONTAL 3000K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW3 56 LSH LN3 56

PACKAGE

Package	01
---------	----


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
57W
diffused, orientable 360°
dimmable 1-10V
120V
3000K
3450lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'





DESK MATRIX | 25"X45" - VERTICAL 3000K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSV LW3 56 LSV LN3 56

PACKAGE


Package	01
---------	----


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
57W
diffused, orientable 360°
dimmable 1-10V
120V
3000K
3450lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'





DESK MATRIX | 25"X70" - HORIZONTAL 2700K

black

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW2 59 LSH LN2 59

PACKAGE


Package 01

Package 02

Package 03

Certificazioni **CEERE**

Linear LED
85W
diffused, orientable 360°
dimmable 1-10V
120V
2700K
4730lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'
Structure
white



DESK MATRIX | 25"X70" - VERTICAL 2700K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSV LW2 59 LSV LN2 59

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
85W
diffused, orientable 360°
dimmable 1-10V
120V
2700K
4730lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'





DESK MATRIX | 25"X70" - HORIZONTAL 3000K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW3 59 LSH LN3 59

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
85W
diffused, orientable 360°
dimmable 1-10V
120V
3000K
4730lm (source luminous flux)
85
Α+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'

Structure white black



DESK MATRIX | 25"X70" - VERTICAL 3000K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSV LW3 59 LSV LN3 59

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
85W
diffused, orientable 360°
dimmable 1-10V
120V
3000K
4730lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'

Structure white black



DESK MATRIX | 45"X45" - HORIZONTAL 2700K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW2 53 LSH LN2 53

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
76W
diffused, orientable 360°
dimmable 1-10V
120V
2700K
4500lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'





DESK MATRIX | 45"X45" - VERTICAL 2700K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSV LW2 53 LSV LN2 53

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED 76W diffused, orientable 360° dimmable 1-10V 120V 2700K 4500lm (source luminous flux) 85 A+ aluminium + PC + ABS Boxed driver included (movable), adjustable cable length 9.8'

Structure white black



DESK MATRIX | 45"X45" - HORIZONTAL 3000K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW3 53 LSH LN3 53

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
76W
diffused, orientable 360°
dimmable 1-10V
120V
3000K
4500lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'

Structure white black



DESK MATRIX | 45"X45" - VERTICAL 3000K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSV LW3 53 LSV LN3 53

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED 76W diffused, orientable 360° dimmable 1-10V 120V 3000K 4500lm (source luminous flux) 85 A+ aluminium + PC + ABS Boxed driver included (movable), adjustable cable length 9.8'

Structure white black



DESK MATRIX | 45"X70" - HORIZONTAL 2700K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW2 57 LSH LN2 57

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
104W
diffused, orientable 360°
dimmable 1-10V
120V
2700K
5780lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'





DESK MATRIX | 45"X70" - VERTICAL 2700K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSV LW2 57 LSV LN2 57

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
104W
diffused, orientable 360°
dimmable 1-10V
120V
2700K
5780lm (source luminous flux)
85
Α+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'





DESK MATRIX | 45"X70" - HORIZONTAL 3000K

white

black

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW3 57 LSH LN3 57

PACKAGE


Package 01

Package 02

Package 03

Certificazioni **CEERE**

Linear LED
104W
diffused, orientable 360°
dimmable 1-10V
120V
3000K
5780lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'
Structure



DESK MATRIX | 45"X70" - VERTICAL 3000K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSV LW3 57 LSV LN3 57

PACKAGE

Package 01


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
104W
diffused, orientable 360°
dimmable 1-10V
120V
3000K
5780lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'

Structure white black



DESK MATRIX | 70"X70" - HORIZONTAL 2700K

white

black

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW2 54 LSH LN2 54

PACKAGE


Package 01

Package 02

Package 03

Certificazioni **CEERE**

Linear LED
132W
diffused, orientable 360°
dimmable 1-10V
120V
2700K
7060lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'
Structure



DESK MATRIX | 70"X70" - VERTICAL 2700K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSV LW2 54 LSV LN2 54

PACKAGE

Package	01
---------	----

Package 02


Package 03

Certificazioni **CEERE**

Linear LED
132W
diffused, orientable 360°
dimmable 1-10V
120V
2700K
7060lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'
Structure

white

black



DESK MATRIX | 70"X70" - HORIZONTAL 3000K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSH LW3 54 LSH LN3 54

PACKAGE

Package	01
---------	----


Package 02

Package 03

Certificazioni **CEERE**

Linear LED
132W
diffused, orientable 360°
dimmable 1-10V
120V
3000K
7060lm (source luminous flux)
85
Α+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'

Structure white black



DESK MATRIX | 70"X70" - VERTICAL 3000K

LAMPING

Source
Total power
Emission
Switching
Tension
Color temperature
Luminous flux
Typ CRI
Energy class
Materials
Notes

Codes

LSV LW3 54 LSV LN3 54

PACKAGE

Package	01
---------	----

Package 02

Package 03

Certificazioni **CEERE**

Linear LED
132W
diffused, orientable 360°
dimmable 1-10V
120V
3000K
7060lm (source luminous flux)
85
A+
aluminium + PC + ABS
Boxed driver included (movable), adjustable cable length 9.8'
Structure

white

black

