

Luminaire

Code POM HNW 31
Name Potence Pivotant Mini led 5W


Measurem.

Code ppm112018
Name Potence Pivotant Mini led 5W

Luminaire Flux	249.97 lm	Luminaire Power	4.00 W	Efficacy	62.49 lm/W	Efficiency	99.99%
Lamps Flux	250.00 lm	Maximum value	148.77 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Rectangular Luminaire		Length	80 mm	Width	80 mm	Height	80 mm
Rectangular Luminous Area		Length	80 mm	Width	80 mm	Height	80 mm
Horizontal Luminous Area		0.006400 m2		Emitting area on Plane 180°		0.006400 m2	
Emitting area on Plane 0°		0.006400 m2		Emitting area on Plane 270°		0.006400 m2	
Emitting area on Plane 90°		0.006400 m2		Glare area at 76°		0.007758 m2	
Coordinate system		CG		Symmetry Type		Rotosymmetrical	
Date		27-01-2000		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		250.00 lm	
Operator				Source Voltage [V]		120.00 V	
Temperature		25.00 °C		Source current [A]		120.00 A	
Humidity		60.00 %		Photocell			
Notes							

Line	Code led	Luminaire Lamps Name led	Flux [lm] 250.00	Pow. [W] 4.00	Q.ty 1
C.I.E. F UTE	31 58 81 72 100 0.72 H + 0.28 T	D DIN 5040 B NBN	B21 BZ 7		

80mm x 80mm




Semipiani C

180.0 — 0.0

ULOR 28.17 %

DLOR 71.82 %

RN 28.17 %



Luminaire

Code POM HNW 31
Name Potence Pivotant Mini led 5W

Measurem.

Code ppm112018
Name Potence Pivotant Mini led 5W

Luminaire Flux	249.97 lm	Luminaire Power	4.00 W	Efficacy	62.49 lm/W	Efficiency	99.99%
Lamps Flux	250.00 lm	Maximum value	148.77 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Luminous Intensity Table cd/klm Table 1/1							
C 0.00		C 0.00		C 0.00		C 0.00	
G 0.0	148.77	G 36.5	135.97	G 73.0	99.58	G109.5	55.99
G 0.5	148.77	G 37.0	135.57	G 73.5	98.78	G110.0	55.59
G 1.0	148.77	G 37.5	135.17	G 74.0	98.38	G110.5	54.79
G 1.5	148.77	G 38.0	135.17	G 74.5	97.58	G111.0	54.39
G 2.0	148.37	G 38.5	134.78	G 75.0	97.18	G111.5	53.99
G 2.5	148.37	G 39.0	134.38	G 75.5	96.38	G112.0	53.19
G 3.0	148.37	G 39.5	133.98	G 76.0	95.98	G112.5	52.79
G 3.5	148.37	G 40.0	133.58	G 76.5	95.18	G113.0	52.39
G 4.0	148.37	G 40.5	133.18	G 77.0	94.78	G113.5	51.59
G 4.5	148.37	G 41.0	132.78	G 77.5	93.98	G114.0	51.19
G 5.0	148.37	G 41.5	132.38	G 78.0	93.58	G114.5	50.79
G 5.5	148.37	G 42.0	131.98	G 78.5	92.78	G115.0	50.39
G 6.0	148.37	G 42.5	131.58	G 79.0	92.38	G115.5	49.59
G 6.5	148.37	G 43.0	131.18	G 79.5	91.58	G116.0	49.19
G 7.0	148.37	G 43.5	130.78	G 80.0	91.18	G116.5	48.79
G 7.5	147.97	G 44.0	130.38	G 80.5	90.38	G117.0	47.99
G 8.0	147.97	G 44.5	129.98	G 81.0	89.58	G117.5	47.59
G 8.5	147.97	G 45.0	129.18	G 81.5	89.18	G118.0	47.19
G 9.0	147.97	G 45.5	128.78	G 82.0	88.38	G118.5	46.79
G 9.5	147.97	G 46.0	128.38	G 82.5	87.98	G119.0	45.99
G 10.0	147.57	G 46.5	127.98	G 83.0	87.18	G119.5	45.59
G 10.5	147.57	G 47.0	127.58	G 83.5	86.78	G120.0	45.19
G 11.0	147.57	G 47.5	127.18	G 84.0	85.98	G120.5	44.79
G 11.5	147.57	G 48.0	126.78	G 84.5	85.58	G121.0	44.39
G 12.0	147.17	G 48.5	126.38	G 85.0	84.78	G121.5	43.59
G 12.5	147.17	G 49.0	125.58	G 85.5	84.38	G122.0	43.19
G 13.0	147.17	G 49.5	125.18	G 86.0	83.58	G122.5	42.79
G 13.5	147.17	G 50.0	124.78	G 86.5	83.18	G123.0	42.39
G 14.0	146.77	G 50.5	124.38	G 87.0	82.38	G123.5	41.99
G 14.5	146.77	G 51.0	123.98	G 87.5	81.98	G124.0	41.19
G 15.0	146.77	G 51.5	123.18	G 88.0	81.18	G124.5	40.79
G 15.5	146.37	G 52.0	122.78	G 88.5	80.79	G125.0	40.39
G 16.0	146.37	G 52.5	122.38	G 89.0	79.99	G125.5	39.99
G 16.5	145.97	G 53.0	121.98	G 89.5	79.59	G126.0	39.59
G 17.0	145.97	G 53.5	121.18	G 90.0	78.79	G126.5	39.19
G 17.5	145.97	G 54.0	120.78	G 90.5	77.99	G127.0	38.79
G 18.0	145.57	G 54.5	120.38	G 91.0	77.59	G127.5	37.99
G 18.5	145.57	G 55.0	119.58	G 91.5	76.79	G128.0	37.59
G 19.0	145.17	G 55.5	119.18	G 92.0	76.39	G128.5	37.19
G 19.5	145.17	G 56.0	118.78	G 92.5	75.59	G129.0	36.79
G 20.0	144.77	G 56.5	118.38	G 93.0	75.19	G129.5	36.39
G 20.5	144.77	G 57.0	117.58	G 93.5	74.39	G130.0	35.99
G 21.0	144.77	G 57.5	117.18	G 94.0	73.99	G130.5	35.59
G 21.5	144.37	G 58.0	116.78	G 94.5	73.19	G131.0	35.19
G 22.0	143.97	G 58.5	115.98	G 95.0	72.79	G131.5	34.79
G 22.5	143.97	G 59.0	115.58	G 95.5	71.99	G132.0	34.39
G 23.0	143.57	G 59.5	115.18	G 96.0	71.59	G132.5	33.99
G 23.5	143.57	G 60.0	114.38	G 96.5	70.79	G133.0	33.59
G 24.0	143.17	G 60.5	113.98	G 97.0	70.39	G133.5	33.19
G 24.5	143.17	G 61.0	113.18	G 97.5	69.59	G134.0	32.79
G 25.0	142.77	G 61.5	112.78	G 98.0	69.19	G134.5	32.39
G 25.5	142.77	G 62.0	112.38	G 98.5	68.39	G135.0	31.99
G 26.0	142.37	G 62.5	111.58	G 99.0	67.99	G135.5	31.19
G 26.5	141.97	G 63.0	111.18	G 99.5	67.59	G136.0	30.79
G 27.0	141.97	G 63.5	110.38	G100.0	66.79	G136.5	30.39
G 27.5	141.57	G 64.0	109.98	G100.5	66.39	G137.0	30.39
G 28.0	141.17	G 64.5	109.58	G101.0	65.59	G137.5	29.99
G 28.5	141.17	G 65.0	108.78	G101.5	65.19	G138.0	29.59
G 29.0	140.77	G 65.5	108.38	G102.0	64.39	G138.5	29.19
G 29.5	140.37	G 66.0	107.58	G102.5	63.99	G139.0	28.79
G 30.0	140.37	G 66.5	107.18	G103.0	63.19	G139.5	28.39
G 30.5	139.97	G 67.0	106.38	G103.5	62.79	G140.0	27.99
G 31.0	139.57	G 67.5	105.98	G104.0	62.39	G140.5	27.59
G 31.5	139.17	G 68.0	105.58	G104.5	61.59	G141.0	27.19
G 32.0	139.17	G 68.5	104.78	G105.0	61.19	G141.5	26.80
G 32.5	138.77	G 69.0	104.38	G105.5	60.39	G142.0	26.40
G 33.0	138.37	G 69.5	103.58	G106.0	59.99	G142.5	26.00
G 33.5	137.97	G 70.0	103.18	G106.5	59.19	G143.0	25.60
G 34.0	137.57	G 70.5	102.38	G107.0	58.79	G143.5	25.20
G 34.5	137.57	G 71.0	101.98	G107.5	58.39	G144.0	24.80
G 35.0	137.17	G 71.5	101.18	G108.0	57.59	G144.5	24.40
G 35.5	136.77	G 72.0	100.78	G108.5	57.19	G145.0	24.00
G 36.0	136.37	G 72.5	99.98	G109.0	56.79	G145.5	24.00