


# ELLISSE PENDANT MEGA

*Federico Palazzari*

New oversized LED pendant provides diffused orientable uplight or downlight. Made from extruded aluminum in different finishes: matt lacquered white, black or gold. Equipped with an opal diffuser. The lamps are made using a proprietary extrusion coupling technology.



## DOWNLIGHT | 2700K

### LAMPING

Source	linear LED
Total power	85W
Emission	diffused orientable
Switching	dimmable 1-10V
Tension	120V
Color temperature	2700K
Luminous flux	4425lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	73.2 x 37.4 x 8
Materials	Aluminum + PC
Notes	adjustable cable length 8.2' max, DALI version on request

### Codes

ELP LW2 59  
ELP LN2 59  
ELP LO2 59

### Structure


white  
black  
gold painted

### PACKAGE

Package 01

Dimension: 5.5 x 39.8 x 79.1 inches / Gross weight: 16.5 lbs

### Certificazioni



## DOWNLIGHT | 3000K

### LAMPING

Source	linear LED
Total power	85W
Emission	diffused orientable
Switching	dimnable 1-10V
Tension	120V
Color temperature	3000K
Luminous flux	4425lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	73.2 x 37.4 x 8
Materials	Aluminum + PC
Notes	adjustable cable length 8.2' max, DALI version on request

### Codes

ELP LWW 59  
ELP LNW 59  
ELP LOW 59

### Structure


white  
black  
gold painted

### PACKAGE

Package 01

Dimension: 5.5 x 39.8 x 79.1 inches / Gross weight: 16.5 lbs

### Certificazioni



# UPLIGHT | 2700K

## LAMPING

Source	linear LED
Total power	85W
Emission	diffused orientable
Switching	dimnable 1-10V
Tension	120V
Color temperature	2700K
Luminous flux	4425lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	73.2 x 37.4 x 8
Materials	Aluminum + PC
Notes	adjustable cable length 8.2' max, DALI version on request

## Codes

ELP LW2 58  
ELP LN2 58  
ELP LO2 58


## Structure

white  
black  
gold painted

## PACKAGE

Package 01 Dimension: 5.5 x 39.8 x 79.1 inches / Gross weight: 16.5 lbs

## Certificazioni



# UPLIGHT | 3000K

## LAMPING

Source	linear LED
Total power	85W
Emission	diffused orientable
Switching	dimnable 1-10V
Tension	120V
Color temperature	3000K
Luminous flux	4425lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	73.2 x 37.4 x 8
Materials	Aluminum + PC
Notes	adjustable cable length 8.2' max, DALI version on request

## Codes

ELP LWW 58  
ELP LNW 58  
ELP LOW 58

## Structure

white  
black  
gold painted

## PACKAGE

Package 01 Dimension: 5.5 x 39.8 x 79.1 inches / Gross weight: 16.5 lbs

## Certificazioni

