

# LINESCAPES WALL

A clear and compact light line defines a classic in the world of lighting. Inspired by a special project for a private collection of contemporary art, Linescapes is versatile with a high luminous efficacy guaranteed by its multidirectional linear development.



## L40 | 2700K

### LAMPING

Source	linear LED
Total power	19W
Emission	diffused side emission
Switching	ON/OFF
Tension	120V
Color temperature	2700K
Luminous flux	1125lm
Typ CRI	85
IP class	20
Dimensions	40.1"x 2.3"
Notes	side emission, driver on board, white RAL 9003, black RAL 9005

### Codes

LIN LW2 35

LIN LN2 35


### Certificazioni

### Structure

white

black

### DRIVER ON BOARD



## L40 | 3000K

### LAMPING

Source	linear LED
Total power	19W
Emission	diffused side emission
Switching	ON/OFF
Tension	120V
Color temperature	3000K
Luminous flux	1125lm
Typ CRI	85
IP class	20
Dimensions	40.1"x 2.3"
Notes	side emission, driver on board, white RAL 9003, black RAL 9005

### Codes

LIN LWD 35

LIN LND 35


### Certificazioni

### Structure

white

black

### DRIVER ON BOARD



## L72 | 2700K

### LAMPING

Source	linear LED
Total power	33W
Emission	diffused side emission
Switching	ON/OFF
Tension	120V
Color temperature	2700K
Luminous flux	1765lm
Typ CRI	85
IP class	20
Dimensions	41.6" x 2.3"
Notes	side emission, driver on board, white RAL 9003, black RAL 9005

### Codes

LIN LW2 36

LIN LN2 36

### Structure

white

black

### DRIVER ON BOARD



## L72 | 3000K

### LAMPING

Source	linear LED
Total power	33W
Emission	diffused side emission
Switching	ON/OFF
Tension	120V
Color temperature	3000K
Luminous flux	1765lm
Typ CRI	85
IP class	20
Dimensions	41.6" x 2.3"
Notes	side emission, driver on board, white RAL 9003, black RAL 9005

### Codes

LIN LWD 36

LIN LND 36

### Structure

white

black

### DRIVER ON BOARD

