

# KEPLER MINOR

*Arihiro Miyake*

The Kepler collection is made of painted extruded aluminium, whose continuous line is obtained through a three-dimensional manufacturing process developed by Nemo. Designed on the basis of the mathematical principle of the Möbius strip. Diffuser in opaque technopolymer.



# UPLIGHT 2700K

## LAMPING

|                   |                                                                                                                                                           |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Source            | linear LED                                                                                                                                                |
| Total power       | 60W                                                                                                                                                       |
| Emission          | diffused                                                                                                                                                  |
| Switching         | dimmable                                                                                                                                                  |
| Tension           | 120V                                                                                                                                                      |
| Color temperature | 2700K                                                                                                                                                     |
| Luminous flux     | 3500lm                                                                                                                                                    |
| Typ CRI           | 85                                                                                                                                                        |
| IP class          | 20                                                                                                                                                        |
| Dimensions        | 33' x 33' x 13.7'                                                                                                                                         |
| Materials         | Aluminum + PC                                                                                                                                             |
| Notes             | adjustable cable length 8.2' max, 3500K and 4000K<br>available on request, extra cable on request, integral driver<br>dual capability TRIAC-ELV and 0-10V |

## Codes

KEM LWW 53  
KEM LNN 53  
KEM LOW 53


## Structure

white  
black  
gold

## PACKAGE

|            |                                                               |
|------------|---------------------------------------------------------------|
| Package 01 | Dimension: 35.4 x 35.4 x 17.7 inches / Gross weight: 24.3 lbs |
|------------|---------------------------------------------------------------|

## Certificazioni



# DOWNLIGHT 2700K

## LAMPING

|                   |                                                                                                                                                           |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Source            | linear LED                                                                                                                                                |
| Total power       | 60W                                                                                                                                                       |
| Emission          | diffused                                                                                                                                                  |
| Switching         | dimmable                                                                                                                                                  |
| Tension           | 120V                                                                                                                                                      |
| Color temperature | 2700K                                                                                                                                                     |
| Luminous flux     | 3500lm                                                                                                                                                    |
| Typ CRI           | 85                                                                                                                                                        |
| IP class          | 20                                                                                                                                                        |
| Dimensions        | 33' x 33' x 13.7'                                                                                                                                         |
| Materials         | Aluminum + PC                                                                                                                                             |
| Notes             | adjustable cable length 8.2' max, 3500K and 4000K<br>available on request, extra cable on request, integral driver<br>dual capability TRIAC-ELV and 0-10V |

## Codes

KEM LWW 54  
KEM LNN 54  
KEM LOW 54


## Structure

white  
black  
gold

## PACKAGE

|            |                                                               |
|------------|---------------------------------------------------------------|
| Package 01 | Dimension: 35.4 x 35.4 x 17.7 inches / Gross weight: 24.3 lbs |
|------------|---------------------------------------------------------------|

## Certificazioni



# UPLIGHT 3000K

## LAMPING

|                   |                                                                                                                                                           |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Source            | linear LED                                                                                                                                                |
| Total power       | 60W                                                                                                                                                       |
| Emission          | diffused                                                                                                                                                  |
| Switching         | dimmable                                                                                                                                                  |
| Tension           | 120V                                                                                                                                                      |
| Color temperature | 3000K                                                                                                                                                     |
| Luminous flux     | 3500lm                                                                                                                                                    |
| Typ CRI           | 85                                                                                                                                                        |
| IP class          | 20                                                                                                                                                        |
| Dimensions        | 33' x 33' x 13.7'                                                                                                                                         |
| Materials         | Aluminum + PC                                                                                                                                             |
| Notes             | adjustable cable length 8.2' max, 3500K and 4000K<br>available on request, extra cable on request, integral driver<br>dual capability TRIAC-ELV and 0-10V |

## Codes

KEM LWW 51  
KEM LNN 51  
KEM LOW 51


## Structure

white  
black  
gold

## PACKAGE

|            |                                                               |
|------------|---------------------------------------------------------------|
| Package 01 | Dimension: 35.4 x 35.4 x 17.7 inches / Gross weight: 24.3 lbs |
|------------|---------------------------------------------------------------|

## Certificazioni



# DOWNLIGHT 3000K

## LAMPING

|                   |                                                                                                                                                           |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Source            | linear LED                                                                                                                                                |
| Total power       | 60W                                                                                                                                                       |
| Emission          | diffused                                                                                                                                                  |
| Switching         | dimmable                                                                                                                                                  |
| Tension           | 120V                                                                                                                                                      |
| Color temperature | 3000K                                                                                                                                                     |
| Luminous flux     | 3500lm                                                                                                                                                    |
| Typ CRI           | 85                                                                                                                                                        |
| IP class          | 20                                                                                                                                                        |
| Dimensions        | 33' x 33' x 13.7'                                                                                                                                         |
| Materials         | Aluminum + PC                                                                                                                                             |
| Notes             | adjustable cable length 8.2' max, 3500K and 4000K<br>available on request, extra cable on request, integral driver<br>dual capability TRIAC-ELV and 0-10V |

## Codes

KEM LWW 52  
KEM LNN 52  
KEM LOW 52

## Structure

white  
black  
gold

## PACKAGE

|            |                                                               |
|------------|---------------------------------------------------------------|
| Package 01 | Dimension: 35.4 x 35.4 x 17.7 inches / Gross weight: 24.3 lbs |
|------------|---------------------------------------------------------------|

## Certificazioni

