


DABLIU

Suspension lamp in aluminum. Composed of a slender structure with three light points and diffusers that can be selected according to different versions. Spot version available for punctual lighting, version with spherical diffuser in opal blown glass and version with a metallic cone in burnished gold and black finish that allows more light diffusion. LED on board, dimmable.



CONE | 2700K

LAMPING


Source	LED
Total power	3x3,5W
Emission	diffused
Switching	dimmable 1-10V
Tension	120V
Color temperature	2700K
Luminous flux	3x400lm (source luminous flux)
Typ CRI	90
IP class	20
Materials	aluminum + PC + ABS + glass
Notes	cable length 6.6', 3500K and 4000K available on request, extra cable on request, square cover plate included

Codes

DAB LNN 55

Structure/Diffuser

black/gold burnished



CONE | 3000K

LAMPING


Source	LED diffused
Total power	3x3,5W
Emission	diffused
Switching	dimmable 1-10V
Tension	120V
Color temperature	3000K
Luminous flux	3x400lm (source luminous flux)
Typ CRI	90
IP class	20
Materials	aluminum + PC + ABS + glass
Notes	cable length 6.6', 3500K and 4000K available on request, extra cable on request, square cover plate included

Codes

DAB LNN 56

Structure/Diffuser

black/gold burnished




GLOBE | 2700K

LAMPING

Source	LED spot
Total power	3x3,5W
Emission	diffused
Switching	dimmable 1-10V
Tension	120V
Color temperature	2700K
Luminous flux	3x400lm (source luminous flux)
Typ CRI	90
IP class	20
Materials	aluminum + PC + ABS
Notes	cable length 6.6', extra cable on request, square cover plate included

<i>Codes</i>	<i>Structure/Diffuser</i>
DAB LNN 53	black/white




GLOBE | 3000K

LAMPING

Source	LED spot
Total power	3x3,5W
Emission	diffused
Switching	dimmable 1-10V
Tension	120V
Color temperature	3000K
Luminous flux	3x400lm (source luminous flux)
Typ CRI	90
IP class	20
Materials	aluminum + PC + ABS
Notes	cable length 6.6', extra cable on request, square cover plate included

Codes
DAB LNN 54

Structure/Diffuser
black/white



SPOT 40° | 2700K

LAMPING

Source	LED spot
Total power	3x3,5W
Emission	diffused
Switching	dimmable 1-10V
Tension	120V
Color temperature	2700K
Luminous flux	3x400lm (source luminous flux)
Typ CRI	90
IP class	20
Materials	aluminum + PC + ABS
Notes	cable length 6.6', led spot beam angle 40°, 3500K and 4000K available on request, extra cable on request, square cover plate included
Net lamp weight	5 lbs

Codes

DAB LNN 51


Structure

black

PACKAGE

Package 01

Gross weight: 2,5 lbs



SPOT 40° | 3000K

LAMPING

Source	LED spot
Total power	3x3,5W
Emission	diffused
Switching	dimmable 1-10V
Tension	120V
Color temperature	3000K
Luminous flux	3x400lm (source luminous flux)
Typ CRI	90
Materials	aluminum + PC + ABS
Notes	cable length 6.6', led spot beam angle 40°, 3500K and 4000K available on request, extra cable on request, square cover plate included

Codes

DAB LNN 52

Structure

black

