

# LINESCAPES CANTILEVERED

A clear and compact light line defines a classic in the world of lighting. Inspired by a special project for a private collection of contemporary art, Linescapes is versatile with a high luminous efficacy guaranteed by its multidirectional linear development.



2700K

## LAMPING

Source	linear LED
Total power	12W
Emission	diffused side emission
Switching	ON/OFF
Tension	24V DC
Color temperature	2700K
Luminous flux	475lm
Typ CRI	85
IP class	20
Dimensions	3.1"x 3.1"x 41.3"
Materials	aluminum + pc + abs
Notes	340° orientable, side emission, driver not included, recessing box included, wall board for installation included, recessed hole 13x11, depth 9cm, more specifications on appendix section, white RAL 9003

## Codes

LIN LW2 34

## Structure



white

## PACKAGE

Package 01

Dimension: 7.9"x5.9"x57.1" inches

## Certificazioni



3000K

### LAMPING

Source	linear LED
Total power	12W
Emission	diffused side emission
Switching	ON/OFF
Tension	24V DC
Color temperature	3000K
Luminous flux	475lm
Typ CRI	85
IP class	20
Dimensions	3.1"x 3.1"x 41.3"
Materials	aluminum + pc + abs
Notes	340° orientable, side emission, driver not included, recessing box included, wall board for installation included, recessed hole 13x11, depth 9cm, more specifications on appendix section, white RAL 9003

### Codes

LIN LWW 34

### Structure

white

### PACKAGE

Package 01

Dimension: 7.9"x5.9"x57.1" inches

### Certificazioni

