UNTITLED TABLE/WALL SPOT

Bernhard Osann

A definitive synthesis of mechanics and lighting technology, this design is clean and essential, with miniaturized joints that allow for extreme flexibility of movement. The Linear version has been designed explicitly with optics to ensure maximum visual comfort in work environments.



2700K

LAMPING

Source Total power Emission Switching Tension Color temperature Luminous flux Typ CRI IP class Dimensions Materials Notes

Accessories Net lamp weight

Codes

UNT LNN 12 UNT LWW 12 UNT LDD 12 UNT LGG 12

PACKAGE

Package 01


Certificazioni ULISTED Intertek


ED board	
W	
rect	
mmer on boar	d
20V	
700K	
85lm	
0	
0	
1.2" x 19.7"	
uminum, tech	nopolymer
0	', 40° LED spot, 155° joint rotation, separately, black RAL 9005
esk clamp, Ta	able base, Wall fixing,
,2 lbs	

Structure

black white titan grey gold

Dimension: 22" x 18.1" x 3.9" inches / Gross weight: 3,3 lbs





3000K

LAMPING

Source Total power Emission Switching Tension Color temperature Luminous flux Typ CRI IP class Dimensions Materials Notes

Accessories Net lamp weight

Codes

UNT LNN 14 UNT LWW 14 UNT LDD 14 UNT LGG 11

PACKAGE

Package 01



LED board
7W
direct
dimmable on board
120V
3000K
485lm
90
20
21.2" x 19.7"
aluminum, technopolymer
cable length 6.6', 40° LED spot, 155° joint rotation,
accessories sold separately, black RAL 9005
Desk clamp, Table base, Wall fixing,
2,2 lbs

Structure

black white titan grey

gold

Dimension: 22" x 18.1" x 3.9" inches / Gross weight: 3,3 lbs

