ELF 1

Elf Series, designed by Stephen Blackman, features luminous tubes of opal glass and clean lines. The series ranges from a two lamp wall sconce to a six light chandelier. Mounts to standard 4? octagonal junction box. Available in multiple lamp options.



LED



LAMPING

Source	12W, 900 LM, 3000K
Total power	12W
Emission	DIFFUSED
Switching	Triac wall dimming switch; Recommended dimmer: Lutron Toggler C-L, Part No. TGCL-153PH
Tension	120V
Color temperature	3000K
Luminous flux	900 LM
Typ CRI	85
IP class	20
Dimensions	4.8" x 4.5" x 13"
Materials	glass + metal

Codes	*Structure/Diffuser*
ELF1LED	Satin Nickel/Opal White Glass

PACKAGE

Package 01	Dimension: 15" x 11" x 6" inches / Gross weight: 5 lbs

Certificazioni

Intertek

XENON DCB



LAMPING

Source	2 X 60W XENON DCB
Total power	2 X 60W
Emission	DIFFUSED
Switching	dimmable
Tension	120V
IP class	20
Dimensions	4.8" x 4.5" x 13"
Materials	glass + metal

Codes	*Structure/Diffuser*
ELF1I	Satin Nickel/Opal White Glass

PACKAGE

Package 01	Dimension: 15" x 11" x 6" inches / Gross weight: 5 lbs

Certificazioni

UL LISTED