

JANEIRO K

The Janeiro K offers the same triplex glass features as the Janeiro series except the glass twists and locks into place. The Janeiro K also has an additional 21.5 inch option and is available in LED for all sizes. Janeiro K Emergency has an electronic ballast, high power factor, class 120/277V battery back up included with test switch and LED indicator light.



12" LED

LAMPING

Source	LED board
Total power	15W
Emission	diffused
Switching	TRIAC wall dimming switch
Tension	120V
Color temperature	3045K
Luminous flux	1260lm
Typ CRI	85
IP class	20
Dimensions	Ø 12" x 4.3" H
Materials	glass + metal
Notes	Recom. dimmer: Lutron Toggler C-L, Part No. TGCL-153PH

Codes

M10122LED


Structure/Diffuser

chrome/white glass

PACKAGE

Package 01

Dimension: 16" x 16" x 7" inches / Gross weight: 4 lbs



14.5" LED

LAMPING

Source	LED board
Total power	15W
Emission	diffused
Switching	TRIAC wall dimming switch
Tension	120V
Color temperature	3045K
Luminous flux	1260lm
Typ CRI	85
IP class	20
Dimensions	Ø 14.5" x 5" H
Materials	glass + metal
Notes	Recom. dimmer: Lutron Toggler C-L, Part No. TGCL-153PH

Codes

M10123LED


Structure/Diffuser

chrome/white glass

PACKAGE

Package 01

Dimension: 19" x 19" x 15" inches / Gross weight: 11 lbs



16.5" LED

LAMPING

Source	LED board
Total power	15W
Emission	diffused
Switching	TRIAC wall dimming switch
Tension	120V
Color temperature	3045K
Luminous flux	1260lm
Typ CRI	85
IP class	20
Dimensions	Ø 16.5" x 5" H
Materials	glass + metal
Notes	Recom. dimmer: Lutron Toggler C-L, Part No. TGCL-153PH

Codes

M10124LED


Structure/Diffuser

chrome/white glass

PACKAGE

Package 01

Dimension: 19" x 19" x 15" inches / Gross weight: 11 lbs



18.5" LED

LAMPING

Source	LED board
Total power	15W
Emission	diffused
Switching	Triac wall dimming switch; Recommended dimmer: Lutron Toggler C-L, Part No. TGCL-153PH
Tension	120V
Color temperature	3045K
Luminous flux	1260lm
Typ CRI	85
IP class	20
Dimensions	Ø 18.5" x 5" H
Materials	glass + metal

Codes

M10246LED


Structure/Diffuser

chrome/white glass

PACKAGE

Package 01

Dimension: 24" x 24" x 19" inches / Gross weight: 17 lbs



12" INCANDESCENT

LAMPING

Source	E26
Total power	2x40W
Emission	diffused
Switching	TRIAC wall dimming switch
Tension	120V
IP class	20
Dimensions	Ø 12" x 4.3" H
Materials	glass + metal

Codes

M10122


Structure/Diffuser

chrome/white glass

PACKAGE

Package 01

Dimension: 16" x 16" x 7" inches / Gross weight: 4 lbs



14.5" INCANDESCENT

LAMPING

Source	E26
Total power	2x60W
Emission	diffused
Switching	TRIAC wall dimming switch
Tension	120V
IP class	20
Dimensions	Ø 14.5" x 5" H
Materials	glass + metal

Codes

M10123


Structure/Diffuser

chrome/white glass

PACKAGE

Package 01

Dimension: 19" x 19" x 15" inches / Gross weight: 11 lbs



16.5" INCANDESCENT

LAMPING

Source	E26
Total power	15W
Emission	diffused
Switching	TRIAC wall dimming switch
Tension	120V
IP class	20
Dimensions	Ø 16.5" x 5" H
Materials	glass + metal

Codes

M10124


Structure/Diffuser

chrome/white glass

PACKAGE

Package 01

Dimension: 19" x 19" x 15" inches / Gross weight: 11 lbs



18.5" INCANDESCENT

LAMPING

Source	E26
Total power	15W
Emission	diffused
Switching	TRIAC wall dimming switch
Tension	120V
IP class	20
Dimensions	Ø 18.5" x 5" H
Materials	glass + metal

Codes

M10246

Structure/Diffuser

chrome/white glass

PACKAGE

Package 01

Dimension: 24" x 24" x 19" inches / Gross weight: 17 lbs

Certificazioni

