

## Luminaire


Code FIM LWW 3A  
Name Fix Double Em. Led 2x6W

## Measurem.

Code FD052016  
Name Fix Double Em. Led 2x6W

Luminaire Flux	761.97 lm	Luminaire Power	12.00 W	Efficacy	63.50 lm/W	Efficiency	100.00%
Lamps Flux	762.00 lm	Maximum value	210.54 cd/klm	Position	C=80.00 G=0.00	CG	Asymmetrical
Rectangular Luminaire Round Luminous Area	Length Diam.	100 mm 65 mm	Width Height	100 mm 0 mm	Height	30 mm	
Horizontal Luminous Area	0.003318 m2	Emitting area on Plane 180°	0.000000 m2	Emitting area on Plane 270°	0.000000 m2	Glare area at 76°	0.000803 m2
Coordinate system	CG	Symmetry Type	Asymmetrical				
Date	27-01-2000	Maximum Gamma Angle	180				
Measurement Distance	0.00	Measurement Flux	762.00 lm				
Operator		Source Voltage [V]	120.00 V				
Temperature	25.00 °C	Source current [A]					
Humidity	60.00 %	Photocell					
Notes							

Line	Code Led	Luminaire Lamps Name Led	Flux [lm] 762.00	Pow. [W] 12.00	Q.ty 1
C.I.E. F UTE	52 82 96 50 100 0.50 D + 0.50 T	D DIN 5040 B NBN	C41 BZ 4		



ULOR 50.00 %  
DLOR 50.00 %  
RN 50.00 %

