


# NEMO

## Luminaire

Code ELP LW2 5A  
Name Ellisse Mega 50W -Double Mega-  
**Measurem.**  
Code EMeDM052019  
Name Ellisse Mega 50W -Double Mega-

Luminaire Flux	2824.90 lm	Luminaire Power	50.00 W	Efficacy	56.50 lm/W	Efficiency	100.00%
Lamps Flux	2825.00 lm	Maximum value	335.92 cd/klm	Position	C=0.00 G=0.00	CG	Double Symmetrical
Rectangular Luminaire	Length	1 mm	Width	1 mm	Height	1 mm	Height
Rectangular Luminous Area	Length	1 mm	Width	1 mm	Height	1 mm	Height
Horizontal Luminous Area	0.000001 m2	Emitting area on Plane 180°	0.000001 m2	Emitting area on Plane 270°	0.000001 m2	Emitting area on Plane 90°	0.000001 m2
Emitting area on Plane 0°	0.000001 m2	Emitting area on Plane 180°	0.000001 m2	Emitting area on Plane 270°	0.000001 m2	Emitting area on Plane 90°	0.000001 m2
Emitting area on Plane 90°	0.000001 m2	Emitting area on Plane 180°	0.000001 m2	Emitting area on Plane 270°	0.000001 m2	Emitting area on Plane 90°	0.000001 m2
Coordinate system	CG	Symmetry Type	Double Symmetrical	CG	90	CG	Double Symmetrical
Date	27-01-2000	Maximum Gamma Angle	90	CG	2825.00 lm	CG	Double Symmetrical
Measurement Distance	0.00	Measurement Flux	2825.00 lm	CG	2825.00 lm	CG	Double Symmetrical
Operator	25.00 °C	Source Voltage [V]	230.00 V	Operator	25.00 °C	Source Voltage [V]	230.00 V
Temperature	60.00 %	Source current [A]		Temperature	60.00 %	Source current [A]	
Humidity		Photocell		Humidity		Photocell	
Notes				Notes			

Line	Code	Luminaire Lamps	Flux [lm]	Pow. [W]	Q.ty
	Led	Name	2825.00	50.00	1
	Led	Led			
C.I.E.	46 78 95 100 100	D DIN 5040	A30		
F UTE	1.00 E	B NBN	BZ 5		



ULOR 0.00 %  
DLOR100.00 %  
RN 0.00 %

