

Installation :

Project number : Zirkol Linear L1 930

Customer :

Processed by : NEMOstudio

Date : 29.06.2020

The following values are based on precise calculations performed on calibrated lamps and luminaires, and their configurations, whereby gradual, unavoidable deviations can occur in practice. All guarantee claims are excluded for the specified data.

This exclusion of liability applies irrespective of the legal grounds for both damages and consequential damages suffered by users and third parties.

Object :
Installation :
Project number : Zirkol Linear L1 930
Date : 29.06.2020

1 Luminaire data

1.1 NEMOstudio, Zirkol Linear L1 930 (L1)

1.1.1 Data sheet

Manufacturer: NEMOstudio

L1 Zirkol Linear L1 930


Luminaire data

Luminaire efficacy : 65.55 lm/W
Classification : A40 ↓100.0% ↑0.0%
CIE Flux Codes : 46 79 96 100 102
UGR 4H 8H : 23.3 / 25.4
Power : 14.4 W

Equipped with


Quantity : 1
Designation : LED
Colour : 3000
Luminous flux : 944 lm
Colour reproduction : 93

Dimensions : 1000 mm x 25 mm x 50 mm



1.1 NEMOstudio, Zirkol Linear L1 930 (L1)

1.1.2 LDC



Manufacturer	: NEMOstudio	Efficiency factor	: 100%
Order number	: L1	Luminaire efficacy	: 65.55 lm/W (A40)
Luminaire name	: Zirkol Linear L1 930	Light distribution	: asymmetric
Equipment	: 1 x LED 14 W / 944 lm	Beam Angle	: 41.4° C0
Dimensions	: L 1000 mm x W 25 mm x H 50 mm		62.6° C90
File name	: Zirkol Linear L1 930.LDT		56.3° C180
			54.4° C270