


# DABLIU

Suspension lamp in aluminum, composed of a slender structure with three light points and diffusers that can be selected according to different versions. Spot version available for punctual lighting, version with spherical diffuser in opal blown glass and version with a metallic cone in burnished gold and black finish that allows more light diffusion.



# CONE | 2700K

## LAMPING


Source	LED spot
Total power	3x5W
Emission	direct
Switching	dimmable 1-10V
Tension	120V
Color temperature led	2700K
Luminous flux led	3x395lm
Typ CRI	90
Ip class	20
Dimensions	51.2'x20'
Materials	aluminum + PC + ABS + glass
Notes	cable length 6.6', extra cable on request, square cover plate included, 40° optic, 3500K and 4000K available on request, spot and cone version), G4 LED bulbs included (globe version), black RAL 9005

## Codes

DAB LNN 55

## Structure/Diffuser

black/gold burnished



# CONE | 3000K

## LAMPING


Source	LED spot
Total power	3x5W
Emission	direct
Switching	dimmable 1-10V
Tension	120V
Color temperature led	3000K
Luminous flux led	3x395lm
Typ CRI	90
Ip class	20
Dimensions	51.2'x20'
Materials	aluminum + PC + ABS + glass
Notes	cable length 6.6', extra cable on request, square cover plate included, 40° optic, 3500K and 4000K available on request, spot and cone version), G4 LED bulbs included (globe version), black RAL 9005

## Codes

DAB LNN 56

## Structure/Diffuser

black/gold burnished



# GLOBE | 2700K

## LAMPING


Source	G4 LED 12V
Total power	3x4W
Emission	diffused
Switching	dimnable 1-10V
Tension	120V
Color temperature led	2700K
Luminous flux led	3x350lm
Typ CRI	90
Ip class	20
Dimensions	51.2'x25.8'
Materials	aluminum + PC + ABS
Notes	cable length 6.6', extra cable on request, square cover plate included, 40° optic, 3500K and 4000K available on request, spot and cone version), G4 LED bulbs included (globe version), black RAL 9005

## Codes

DAB LNN 53

## Structure/Diffuser

black/white glass



# GLOBE | 3000K

## LAMPING


Source	LED spot
Total power	3x4W
Emission	diffused
Switching	dimnable 1-10V
Tension	120V
Color temperature led	3000K
Luminous flux led	3x350
Typ CRI	90
Ip class	20
Dimensions	51.2'x25.8'
Materials	aluminum + PC + ABS
Notes	cable length 6.6', extra cable on request, square cover plate included, 40° optic, 3500K and 4000K available on request, spot and cone version), G4 LED bulbs included (globe version), black RAL 9005

## Codes

DAB LNN 54

## Structure/Diffuser

black/white glass



# SPOT 40° | 2700K

## LAMPING

Source	LED spot
Total power	3x5W
Emission	direct
Switching	dimmable 1-10V
Tension	120V
Color temperature led	2700K
Luminous flux led	3x395lm
Typ CRI	90
Ip class	20
Dimensions	51.2'x19.6'
Materials	aluminum + PC + ABS
Notes	cable length 6.6', extra cable on request, square cover plate included, 40° optic, 3500K and 4000K available on request, spot and cone version), G4 LED bulbs included (globe version), black RAL 9005
Net lamp weight	5 lbs

## Codes

DAB LNN 51


## Structure

black

## PACKAGE

Package 01

Gross weight: 2,5 lbs



# SPOT 40° | 3000K

## LAMPING

Source	LED spot
Total power	3x5W
Emission	direct
Switching	dimnable 1-10V
Tension	120V
Color temperature led	3000K
Luminous flux led	3x395
Typ CRI	90
Dimensions	51.2'x19.6'
Materials	aluminum + PC + ABS
Notes	cable length 6.6', extra cable on request, square cover plate included, 40° optic, 3500K and 4000K available on request, spot and cone version), G4 LED bulbs included (globe version), black RAL 9005

## Codes

DAB LNN 52

## Structure

black

