

ELBA

Family of indoor spotlights for accent lighting.

The luminaire is rotatable by 90° vertically and 355° horizontally to allow the free orientation of the light in any direction.

The heat dissipation structure and built-in driver are combined in an integrated design with a compact and minimal aesthetic.

The light beam angle is adjustable to meet any lighting requirement.



DIMMABLE TRIAC | 2700K

LAMPING

Source	LED spot
Total power	13W
Emission	Direct adjustable 15°-55°
Switching	Dimmable triac
Tension	110V
Color temperature led	2700K
Luminous flux led	900lm
Typ CRI	>90
Ip class	20
Dimensions	ø2,20x5,9
Materials	Aluminum
Notes	driver on board, adjustable beam 15°-55°, rotating body 355°, orientable spot 90°, compatible with TRACK 3~120V , 3500K available on request
Net lamp weight	1,15 lbs

Codes

ELB LW2 81 US
ELB LN2 81 US


Structure

white
black

PACKAGE

Package 01
Dimension: 15,67x15,67x9,76 inches / Gross weight: 1,43 lbs

Certificazioni



DIMMABLE TRIAC | 3000K

LAMPING

Source	LED spot
Total power	13W
Emission	Direct adjustable 15°-55°
Switching	Dimmable triac
Tension	110V
Color temperature led	3000K
Luminous flux led	900lm
Typ CRI	>90
Ip class	20
Dimensions	ø2,20x5,9
Materials	Aluminum
Notes	driver on board, adjustable beam 15°-55°, rotating body 355°, orientable spot 90°, compatible with TRACK 3~120V , 3500K available on request
Net lamp weight	1,15 lbs

Codes

ELB LW3 81 US
ELB LN3 81 US


Structure

white
black

PACKAGE

Package 01
Dimension: 15,67x15,67x9,76 inches / Gross weight: 1,43 lbs

Certificazioni



DIMMABLE 0-10V | 2700K

LAMPING

Source	LED spot
Total power	13W
Emission	Direct adjustable 15°-55°
Switching	dimnable 0-10V
Tension	110V
Color temperature led	2700K
Luminous flux led	900lm
Typ CRI	>90
Ip class	20
Dimensions	ø2,20x5,9
Materials	Aluminum
Notes	driver on board, adjustable beam 15°-55°, rotating body 355°, orientable spot 90°, compatible with TRACK 3~120V , 3500K available on request
Net lamp weight	1,15 lbs

Codes

ELB LW2 82 US
ELB LN2 82 US


Structure

white
black

PACKAGE

Package 01
Dimension: 15,67x15,67x9,76 inches / Gross weight: 1,43 lbs

Certificazioni



DIMMABLE 0-10V | 3000K

LAMPING

Source	LED spot
Total power	13W
Emission	Direct adjustable 15°-55°
Switching	dimnable 0-10V
Tension	110V
Color temperature led	3000K
Luminous flux led	900lm
Typ CRI	>90
Ip class	20
Dimensions	ø2,20x5,9
Materials	Aluminium
Notes	driver on board, adjustable beam 15°-55°, rotating body 355°, orientable spot 90°, compatible with TRACK 3~120V , 3500K available on request
Net lamp weight	1,15 lbs

Codes

ELB LW3 82 US
ELB LN3 82 US

Structure

white
black

PACKAGE

Package 01
Dimension: 15,67x15,67x9,76 inches / Gross weight: 1,43 lbs

Certificazioni

