

# KEPLER MINOR

*Arihiro Miyake*

The Kepler collection is made of painted extruded aluminium, whose continuous line is obtained through a three-dimensional manufacturing process developed by Nemo. Designed on the basis of the mathematical principle of the Möbius strip. Diffuser in opaque technopolymer.



# UPLIGHT 2700K

## LAMPING

Source	linear LED
Total power	60W
Emission	diffused
Switching	dimmable
Tension	120V
Color temperature led	2700K
Luminous flux led	3500lm
Typ CRI	85
Ip class	20
Dimensions	33' x 33' x 13.7'
Materials	Aluminum + PC
Notes	adjustable cable length 8.2' max, 3500K and 4000K available on request, extra cable on request, integral driver dual capability TRIAC-ELV and 0-10V

## Codes

KEM LWW 53  
KEM LNN 53  
KEM LOW 53


## Structure

white  
black  
gold

## PACKAGE

Package 01	Dimension: 35.4 x 35.4 x 17.7 inches / Gross weight: 24.3 lbs
------------	---

## Certificazioni



# DOWNLIGHT 2700K

## LAMPING

Source	linear LED
Total power	60W
Emission	diffused
Switching	dimmable
Tension	120V
Color temperature led	2700K
Luminous flux led	3500lm
Typ CRI	85
Ip class	20
Dimensions	33' x 33' x 13.7'
Materials	Aluminum + PC
Notes	adjustable cable length 8.2' max, 3500K and 4000K available on request, extra cable on request, integral driver dual capability TRIAC-ELV and 0-10V

## Codes

KEM LWW 54  
KEM LNN 54  
KEM LOW 54


## Structure

white  
black  
gold

## PACKAGE

Package 01	Dimension: 35.4 x 35.4 x 17.7 inches / Gross weight: 24.3 lbs
------------	---

## Certificazioni



# UPLIGHT 3000K

## LAMPING

Source	linear LED
Total power	60W
Emission	diffused
Switching	dimmable
Tension	120V
Color temperature led	3000K
Luminous flux led	3500lm
Typ CRI	85
Ip class	20
Dimensions	33' x 33' x 13.7'
Materials	Aluminum + PC
Notes	adjustable cable length 8.2' max, 3500K and 4000K available on request, extra cable on request, integral driver dual capability TRIAC-ELV and 0-10V

## Codes

KEM LWW 51  
KEM LNN 51  
KEM LOW 51


## Structure

white  
black  
gold

## PACKAGE

Package 01	Dimension: 35.4 x 35.4 x 17.7 inches / Gross weight: 24.3 lbs
------------	---

## Certificazioni



# DOWNLIGHT 3000K

## LAMPING

Source	linear LED
Total power	60W
Emission	diffused
Switching	dimmable
Tension	120V
Color temperature led	3000K
Luminous flux led	3500lm
Typ CRI	85
Ip class	20
Dimensions	33' x 33' x 13.7'
Materials	Aluminum + PC
Notes	adjustable cable length 8.2' max, 3500K and 4000K available on request, extra cable on request, integral driver dual capability TRIAC-ELV and 0-10V

## Codes

KEM LWW 52  
KEM LNN 52  
KEM LOW 52

## Structure

white  
black  
gold

## PACKAGE

Package 01	Dimension: 35.4 x 35.4 x 17.7 inches / Gross weight: 24.3 lbs
------------	---

## Certificazioni

