

# LINESCAPES CANTILEVERED

A clear and compact light line defines a classic in the world of lighting. Inspired by a special project for a private collection of contemporary art, Linescapes is versatile with a high luminous efficacy guaranteed by its multidirectional linear development.



2700K

LAMPING

Source	linear LED
Total power	12W
Emission	diffused side emission
Switching	ON/OFF
Tension	24V DC
Color temperature led	2700K
Luminous flux led	475lm
Typ CRI	85
Ip class	20
Dimensions	3.1"x 3.1"x 41.3"
Materials	aluminum + pc + abs
Notes	340° orientable, side emission, driver not included, recessing box included, wall board for installation included, recessed hole 13x11, depth 9cm, more specifications on appendix section, white RAL 9003

Codes

LIN LW2 34


Structure

white

PACKAGE

Package 01	Dimension: 7.9"x5.9"x57.1" inches
------------	-----------------------------------

Certificazioni



3000K

LAMPING

Source	linear LED
Total power	12W
Emission	diffused side emission
Switching	ON/OFF
Tension	24V DC
Color temperature led	3000K
Luminous flux led	475lm
Typ CRI	85
Ip class	20
Dimensions	3.1"x 3.1"x 41.3"
Materials	aluminum + pc + abs
Notes	340° orientable, side emission, driver not included, recessing box included, wall board for installation included, recessed hole 13x11, depth 9cm, more specifications on appendix section, white RAL 9003

Codes

LIN LWW 34

Structure

white

PACKAGE

Package 01	Dimension: 7.9"x5.9"x57.1" inches
------------	-----------------------------------

Certificazioni

