

# LINESCAPES WALL

A clear and compact light line defines a classic in the world of lighting. Inspired by a special project for a private collection of contemporary art, Linescapes is versatile with a high luminous efficacy guaranteed by its multidirectional linear development.



L40 | 2700K

LAMPING

Source	linear LED
Total power	19W
Emission	diffused side emission
Switching	ON/OFF
Tension	120V
Color temperature led	2700K
Luminous flux led	1125lm
Typ CRI	85
Ip class	20
Dimensions	40.1"x 2.3"
Notes	side emission, driver on board, white RAL 9003, black RAL 9005

Codes

- LIN LW2 35
- LIN LN2 35

Structure

- white
- black

Certificazioni

DRIVER ON BOARD



# L40 | 3000K

## LAMPING

Source	linear LED
Total power	19W
Emission	diffused side emission
Switching	ON/OFF
Tension	120V
Color temperature led	3000K
Luminous flux led	1125lm
Typ CRI	85
Ip class	20
Dimensions	40.1"x 2.3"
Notes	side emission, driver on board, white RAL 9003, black RAL 9005

## Codes

- LIN LWD 35
- LIN LND 35

## Certificazioni

## Structure

- white
- black

## DRIVER ON BOARD



L72 | 2700K

LAMPING

Source	linear LED
Total power	33W
Emission	diffused side emission
Switching	ON/OFF
Tension	120V
Color temperature led	2700K
Luminous flux led	1765lm
Typ CRI	85
Ip class	20
Dimensions	71.7"x 2.3"
Notes	side emission, driver on board, white RAL 9003, black RAL 9005

Codes

LIN LW2 36  
LIN LN2 36

Structure

white  
black

DRIVER ON BOARD



L72 | 3000K

LAMPING

Source	linear LED
Total power	33W
Emission	diffused side emission
Switching	ON/OFF
Tension	120V
Color temperature led	3000K
Luminous flux led	1765lm
Typ CRI	85
Ip class	20
Dimensions	71.7"x 2.3"
Notes	side emission, driver on board, white RAL 9003, black RAL 9005

Codes

LIN LWD 36  
LIN LND 36

Structure

white  
black

DRIVER ON BOARD

