

SOLEIL

Wall and ceiling lamp, widespread light. Triplex opal white glass with metal base and crystal edge. Mounts to standard 4 octagonal junction box.



13" INCANDESCENT

LAMPING

Source	E26
Total power	75W
Emission	diffused
Switching	dimmable according to bulb
Tension	120V
Ip class	20
Dimensions	Ø 13" x 3.7"H
Materials	glass + metal
Notes	dimmable, according to bulb, LED: Recom. dimmer: Lutron Toggler C-L, Part No. TGCL-153PH

Codes

SOLEIL S

Structure


white

PACKAGE

Package 01

Dimension: 16" x 16" x 8" inches / Net weight: 7 lbs

Certificazioni



16" INCANDESCENT

LAMPING

Source	E26
Total power	2x75W
Emission	diffused
Switching	dimmable according to bulb
Tension	120V
Ip class	20
Dimensions	Ø 16" x 4.5"H
Materials	glass + metal
Notes	dimmable, according to bulb, LED: Recom. dimmer: Lutron Toggler C-L, Part No. TGCL-153PH

Codes

SOLEIL M

Structure


white

PACKAGE

Package 01

Dimension: 19" x 19" x 15" inches / Net weight: 13 lbs

Certificazioni



20" INCANDESCENT

LAMPING

Source	2 X 75W E26
Total power	2x75W
Emission	diffused
Switching	dimmable according to bulb
Tension	120V
Ip class	20
Dimensions	Ø 20" x 5.4"H
Materials	glass + metal
Notes	dimmable, according to bulb, LED: Recom. dimmer: Lutron Toggler C-L, Part No. TGCL-153PH

Codes

SOLEIL

Structure/Diffuser


White/Opal White Glass, Crystal Edge

PACKAGE

Package 01

Dimension: 24" x 24" x 19" inches / Net weight: 20 lbs

Certificazioni



13" LED

LAMPING

Source	LED
Total power	15W
Emission	diffused
Switching	triac wall dimmingswitch
Tension	120V
Color temperature led	3045K
Luminous flux led	1260lm
Typ CRI	85
Ip class	20
Dimensions	Ø 13" x 3.7"H
Materials	glass + metal
Notes	dimnable, according to bulb, LED: Recom. dimmer: Lutron Toggler C-L, Part No. TGCL-153PH

Codes

SOLEIL S LED


Structure

white

PACKAGE

Package 01 Dimension: 16" x 16" x 8" inches / Net weight: 7 lbs

Certificazioni



16" LED

LAMPING

Source	LED
Total power	15W
Emission	diffused
Switching	triac wall dimmingswitch
Tension	120V
Color temperature led	3045K
Luminous flux led	1260lm
Typ CRI	85
Ip class	20
Dimensions	Ø 16" x 4.5"H
Materials	glass + metal
Notes	dimnable, according to bulb, LED: Recom. dimmer: Lutron Toggler C-L, Part No. TGCL-153PH

Codes

SOLEIL M LED

Structure

white

PACKAGE

Package 01 Dimension: 19" x 19" x 15" inches / Net weight: 13 lbs

Certificazioni

