


SPIGOLO PENDANT HORIZONTAL

Studiocharlie

Designed to provide 360° directional lighting, the Spigolo collection features LED light sources housed within an extruded aluminium and tubular structure, connected by moulded polymer joints, which allow the profiles to rotate to produce direct or indirect lighting, shielded by a polycarbonate opal diffuser. The floor version is designed to provide a virtual room divider, while the ceiling and wall versions provide versatile and comfortable ambient lighting.



2700K

LAMPING

Source	2x linear LED
Total power	2x19W
Emission	diffused
Switching	mono switch, dimmable 1-10V
Tension	120V
Color temperature led	2700K
Luminous flux led	2x1120lm
Typ CRI	85
Ip class	20
Dimensions	44.9" x 22.8" x 0.8"
Materials	aluminum + pc + abs
Notes	cable length 16.4' max, metal cable length 9.8',orientable diffusers 360°, decentralized canopy, mono switch, 3500K and 4000K available on request, square cover plate included
Net lamp weight	6,2 lbs

Codes

SPI LW2 52
SPI LN2 52


Structure

white
black

PACKAGE

Package 01	Dimension: 7.1" x 8.7" x 26" inches / Net weight: 6,6 lbs / Gross weight: 6.7" x 7.1" x 46.5" lbs
Package 02	Gross weight: 4 lbs

Certificazioni



3000K

LAMPING

Source	2x linear LED
Total power	2x19W
Emission	diffused
Switching	mono switch, dimmable 1-10V
Tension	120V
Color temperature led	3000K
Luminous flux led	2x1120lm
Typ CRI	85
Ip class	20
Dimensions	44.9" x 22.8" x 0.8"
Materials	aluminum + pc + abs
Notes	cable length 16.4' max, metal cable length 9.8',orientable diffusers 360°, decentralized canopy, mono switch, 3500K and 4000K available on request, square cover plate included
Net lamp weight	6,2 lbs

Codes

SPI LWW 52
SPI LNN 52

Structure

white
black

PACKAGE

Package 01	Dimension: 7.1" x 8.7" x 26" inches / Net weight: 6,6 lbs / Gross weight: 6.7" x 7.1" x 46.5" lbs
Package 02	Gross weight: 4 lbs

Certificazioni

