


# TRU PENDANT HORIZONTAL

*Roberto Paoli*

Sculptural, sleek, compact: two light panels compose a parallelepiped, leaving space for an empty slot, but concealing the light source through an optical effect. Made of aluminium, Tru provides indirect and diffuse light through two internal LED strips and an LED element on top. Equipped with a double dimmer for independent control of the two light sources.



## DOWNLIGHT + DOWNLIGHT 2700K

### LAMPING

Source	linear LED
Total power	54W
Emission	diffused
Switching	dimmer button integrated on the fixture
Tension	120V
Color temperature led	2700K
Luminous flux led	3520lm
Typ CRI	85
Ip class	20
Dimensions	3.5" x 4.3" x 68.9"
Materials	aluminium + PC
Notes	metal cable length 9.8', electric cable length 16.4', 3500K and 4000K available on request, extra cable on request, square cover plate included, integral driver dual capability TRIAC-ELV and 0-10V on request. Please note: TRU pendant can't be dimmed from a dimmer button/switch on the wall but only from the dimmer button integrated on the fixture
Net lamp weight	9,9 lbs

### Codes

TRU LWW 57  
TRU LNN 57  
TRU LDD 57

### Structure

white  
black  
titan grey


### PACKAGE

Package 01 Dimension: 8.7" x 6.3" x 74" inches / Net weight: 14,3 lbs

### Certificazioni



NEMO



# UPLIGHT + DOWNDOWNLIGHT 2700K

## LAMPING

Source	linear LED
Total power	54W
Emission	diffused
Switching	dimmer button integrated on the fixture
Tension	120V
Color temperature led	2700K
Luminous flux led	3520lm
Typ CRI	85
Ip class	20
Dimensions	3.5" x 4.3" x 68.9"
Materials	aluminium + PC
Notes	metal cable length 9.8', electric cable length 16.4', 3500K and 4000K available on request, extra cable on request, square cover plate included, integral driver dual capability TRIAC-ELV and 0-10V on request. Please note: TRU pendant can't be dimmed from a dimmer button/switch on the wall but only from the dimmer button integrated on the fixture
Net lamp weight	9,9 lbs

## Codes

TRU LWW 55  
TRU LNN 55  
TRU LDD 55

## Structure

white  
black  
titan grey

## PACKAGE


Package 01 Dimension: 8.7" x 6.3" x 74" inches / Net weight: 14,3 lbs

## Certificazioni



Intertek

NEMO



## DOWNLIGHT + DOWNLIGHT 3000K

### LAMPING

Source	linear LED
Total power	54W
Emission	diffused
Switching	dimmer button integrated on the fixture
Tension	120V
Color temperature led	3000K
Luminous flux led	3520lm
Typ CRI	85
Ip class	20
Dimensions	3.5" x 4.3" x 68.9"
Materials	aluminium + PC
Notes	metal cable length 9.8', electric cable length 16.4', 3500K and 4000K available on request, extra cable on request, square cover plate included, integral driver dual capability TRIAC-ELV and 0-10V on request. Please note: TRU pendant can't be dimmed from a dimmer button/switch on the wall but only from the dimmer button integrated on the fixture
Net lamp weight	9,9 lbs

### Codes

TRU LWW 5C  
TRU LNN 5C  
TRU LDD 5C

### Structure

white  
black  
titan grey

### PACKAGE


Package 01 Dimension: 8.7" x 6.3" x 74" inches / Net weight: 14,3 lbs

### Certificazioni



Intertek

NEMO



## UPLIGHT + DOWNLIGHT 3000K

### LAMPING

Source	linear LED
Total power	54W
Emission	diffused
Switching	dimmer button integrated on the fixture
Tension	120V
Color temperature led	3000K
Luminous flux led	3520lm
Typ CRI	85
Ip class	20
Dimensions	3.5" x 4.3" x 68.9"
Materials	aluminium + PC
Notes	metal cable length 9.8', electric cable length 16.4', 3500K and 4000K available on request, extra cable on request, square cover plate included, integral driver dual capability TRIAC-ELV and 0-10V on request. Please note: TRU pendant can't be dimmed from a dimmer button/switch on the wall but only from the dimmer button integrated on the fixture
Net lamp weight	9,9 lbs

### Codes

TRU LWW 5A  
TRU LNN 5A  
TRU LDD 5A

### Structure

white  
black  
titan grey

### PACKAGE

Package 01 Dimension: 8.7" x 6.3" x 74" inches / Net weight: 14,3 lbs

### Certificazioni



NEMO

