# UNTITLED MINI LINEAR

Bernhard Osann

A definitive synthesis of mechanics and lighting technology, this design is clean and essential, with miniaturized joints that allow for extreme flexibility of movement. The Linear version has been designed explicitly with optics to ensure maximum visual comfort in work environments.



## 2700K

#### **LAMPING**

Source linear LED
Total power 7W
Emission direct

Switching dimmable on board

Tension 120V
Color temperature led 2700K
Luminous flux led 485lm
Typ CRI 90
Ip class 20

Dimensions 5.9'x22.4'

Materials aluminum, technopolymer

Notes cable length 6.6', 155° joint rotation, accessories sold

separately, black RAL 9005

Accessories Desk clamp, | Table base, | Wall fixing,


#### Codes Structure

UNT LN2 15 black
UNT LW2 15 white
UNT LD2 15 titan grey
UNT LG2 15 gold

## Certificazioni







## 3000K

#### **LAMPING**

Source linear LED
Total power 7W
Emission direct

Switching dimmable on board

 Tension
 120V

 Color temperature led
 3000K

 Luminous flux led
 485lm

 Typ CRI
 90

 Ip class
 20

Dimensions 5.9'x22.4'

Materials aluminum, technopolymer

Notes cable length 6.6', 155° joint rotation, accessories sold

separately, black RAL 9005

Accessories Desk clamp, | Table base, | Wall fixing,

#### Codes Structure

UNT LNN 15 black
UNT LWW 15 white
UNT LDD 15 titan grey
UNT LGG 15 gold

## Certificazioni



