

LINESCAPES CANTILEVERED

Eine klare und kompakte Lichtlinie definiert einen Klassiker in der Welt der Beleuchtung. Inspiriert durch ein spezielles Projekt für eine private Sammlung zeitgenössischer Kunst, ist Linescapes vielseitig und hat eine hohe Effizienz, die durch ihre multidirektionale lineare Entwicklung gewährleistet wird.



2700K

LAMPING

Source	linear LED
Total power	12W
Emission	diffused side emission
Tension	24V DC
Color temperature	2700K
Luminous flux	475lm
Typ CRI	85
IP class	20
Materials	Aluminium + PC + ABS
Notes	340° orientable, driver not included, recessing box included , wall board for installation included, recessed hole 13x11cm depth 9cm
Net lamp weight	1,5 kg

Codes

LIN LW2 34

Structure

white

PACKAGE

Package 01

Dimension: 20x15x145 cm / Gross weight: 3 kg

Certificazioni



3000K

LAMPING

Source	linear LED
Total power	12W
Emission	diffused side emission
Tension	24V DC
Color temperature	3000K
Luminous flux	475lm
Typ CRI	85
IP class	20
Materials	Aluminium + PC + ABS
Notes	340° orientable, driver not included, recessing box included , wall board for installation included, recessed hole 13x11cm depth 9cm
Net lamp weight	1,5 kg

Codes

LIN LWW 34

Structure

white

PACKAGE

Package 01

Dimension: 20x15x145 cm / Gross weight: 3 kg

Certificazioni

