

TUBES 1 WALL

Charles Kalpakian

Produktfamilie von Pendel-, Wand- und Deckenleuchten mit röhrenförmigen Elementen für Objekte mit einem starken und essentiellen Design, das sich in reinen Formen ausdrückt.

Die Wandversionen sind aus stranggepresstem Aluminium drehbar und einstellbar und auch mit direkt an der Lampe montiertem Schiebedimmer erhältlich (Tubes 1/2).

In der Deckenversion ist das Deckenelement um 340 ° drehbar, während der andere Zylinder um 90 ° drehbar ist.

Verfügbar in verschiedenen Farbversionen, monoton oder mit zwei zusammenpassenden Farben.

Diffusoren aus Opalplexiglas.



PUSH ON BOARD

LAMPING

Source	LED board
Total power	4,2W
Emission	orientable, spot
Switching	dimnable push on board
Tension	230V
Color temperature	2700K
Luminous flux	187lm
Typ CRI	80
Materials	aluminium
Notes	orientable, also available in 120V. Grey white RAL 9002

Codes

TTB LWW 34
TTB LWC 34
TTB LNN 34


Structure

grey white/grey white
grey white/copper
black/black

PACKAGE

Package 01 Dimension: 14x31x11 cm / Gross weight: 0,47 kg

Certificazioni



TRIAC

LAMPING

Source	LED board
Total power	4,2W
Emission	orientable, spot
Switching	dimmable TRIAC
Tension	230V
Color temperature	2700K
Luminous flux	187lm
Typ CRI	80
Materials	aluminium
Notes	orientable, also available in 120V. Suggested dimmer: TECNEL TE7636 (dimming range: from ~45% to 100%). Grey white RAL 9002
Net lamp weight	0,35 kg

Codes

TTB LWW 31
TTB LWC 31
TTB LNN 31

Structure

grey white/grey white
grey white/copper
black/black

PACKAGE

Package 01 Dimension: 14x31x11 cm / Gross weight: 0,47 kg

Certificazioni

