


UNTITLED READING SPOT

Bernhard Osann

Eine definitive Synthese aus Mechanik und Lichttechnik, ein klares und essentielles Design mit miniaturisierten Gelenken, die eine extreme Bewegungsvermögen ermöglichen. Die Linear-Version wurde explizit mit Optik entworfen, um maximalen Sehkomfort in Arbeitsumgebungen zu gewährleisten.



2700K

LAMPING

| | |
|-------------------|---|
| Source | LED spot |
| Total power | 6,5W |
| Emission | direct |
| Switching | dimmable on board |
| Tension | 110-240V |
| Color temperature | 2700K |
| Luminous flux | 395lm |
| Typ CRI | 90 |
| IP class | 20 |
| Dimensions | 114x60 |
| Notes | Cable length 2m, 40° optic, 155° joint rotation |
| Net lamp weight | 5 kg |

Codes

UNT LN2 2B

Structure

black

PACKAGE

| | |
|------------|--|
| Package 01 | Dimension: 206x15x11 cm / Gross weight: 4,5 kg |
| Package 02 | Dimension: 24x20x8 cm / Gross weight: 1,5 kg |

Certificazioni



3000K

LAMPING

| | |
|-------------------|---|
| Source | LED spot |
| Total power | 6,5W |
| Emission | direct |
| Switching | dimmable on board |
| Tension | 110-240V |
| Color temperature | 3000K |
| Luminous flux | 395lm |
| Typ CRI | 90 |
| IP class | 20 |
| Dimensions | 114x60 |
| Notes | Cable length 2m, 40° optic, 155° joint rotation |
| Net lamp weight | 5 kg |

Codes

UNT LNN 2B

Structure

black

PACKAGE

| | |
|------------|--|
| Package 01 | Dimension: 206x15x11 cm / Gross weight: 4,5 kg |
| Package 02 | Dimension: 24x20x8 cm / Gross weight: 1,5 kg |

Certificazioni

