


# DABLIU

Pendelleuchte aus Aluminium. Schlanken Struktur mit drei Lichtpunkten und Diffusoren, die je nach Ausführung ausgewählt werden können. Lieferbar mit Spots für eine punktuelle Beleuchtung, mit kugelförmigen Diffusoren aus geblasenem Opalglas und mit Metallkegeln aus brüniertem Gold für eine bessere Lichtstreuung.



# SPOT | 2700K

## LAMPING

Source	LED spot
Total power	3x5W
Emission	direct
Switching	dimmable 1-10V
Tension	110-240V
Color temperature	2700K
Luminous flux	3x395lm
Typ CRI	90
Energy class	A+
IP class	20
Dimensions	Ø4,5x8cm
Materials	aluminum + PC + ABS
Notes	cable length 3m, 40° optic


*Codes*  
DAB LNN 51

*Structure/Diffuser*  
black/black

## PACKAGE

Package 01      Dimension: 15x80x150 cm

## Certificazioni



# SPOT | 3000K

## LAMPING

Source	LED spot
Total power	3x5W
Emission	direct
Switching	dimmable 1-10V
Tension	110-240V
Color temperature	3000K
Luminous flux	3x395lm
Typ CRI	90
IP class	20
Dimensions	Ø4,5x8cm
Materials	aluminum + PC + ABS
Notes	cable length 3m, led spot beam angle 40°


## Codes

DAB LNN 52

## Structure/Diffuser

black/black

## Certificazioni



# GLOBE | 2700K

## LAMPING

Source	G4 LED 12V
Total power	3x4W
Emission	diffused
Switching	dimnable 1-10V
Tension	110-240V
Color temperature	2700K
Luminous flux	3x350lm
Typ CRI	90
IP class	20
Dimensions	Ø10cm
Materials	aluminum + PC + ABS
Notes	cable length 3m, LED bulb included


## Codes

DAB LNN 53

## Structure/Diffuser

black/white

## Certificazioni



# GLOBE | 3000K

## LAMPING

Source	G4 LED 12V
Total power	3x4W
Emission	diffused
Switching	dimnable 1-10V
Tension	110-240V
Color temperature	3000K
Luminous flux	3x350lm
Typ CRI	90
Dimensions	Ø10cm
Materials	aluminum + PC + ABS
Notes	cable length 3m, LED bulb included


## Codes

DAB LNN 54

## Structure/Diffuser

black/white

## Certificazioni



# CONE | 2700K

## LAMPING

Source	LED spot
Total power	3x5W
Emission	direct
Switching	dimmable 1-10V
Tension	110-240V
Color temperature	2700K
Luminous flux	3x395lm
Typ CRI	90
IP class	20
Dimensions	Ø10,5x9cm
Materials	aluminum + PC + ABS + glass
Notes	cable length 3m, 40° optic


## Codes

DAB LNN 55

## Structure/Diffuser

black/gold burnished

## Certificazioni



# CONE | 3000K

## LAMPING

Source	LED spot
Total power	3x5W
Emission	direct
Switching	dimmable 1-10V
Tension	110-240V
Color temperature	3000K
Luminous flux	3x395lm
Typ CRI	90
IP class	20
Dimensions	Ø10,5x9cm
Materials	aluminum + PC + ABS + glass
Notes	cable length 3m, 40° optic

## Codes

DAB LNN 56

## Structure/Diffuser

black/gold burnished

## Certificazioni

