APPLIQUE À VOLET PIVOTANT

Charlotte Perriand

Aus dem Originalentwurf 1962 von Charlotte Perriand für die Beleuchtung ihres Chalets in den Bergen in Méribel in den französischen Alpen, ist im Laufe der Zeit eine Familie Wandleuchten mit einfachen und farbenfrohen Formen entstanden. Verstellbarer Diffusor „Volet“ aus Aluminium und Struktur aus Metall. Die Version E14 ist mit Schalter an der Struktur der Leuchte (an Bord) und mit Kabel, einschl. Stecker für eine freie und einfache Installation ausgestattet. Die Leuchte strahlt indirektes Licht zur Wand ab und der Lichtstrahl kann beliebig ausgerichtet werden.

R7S HALO



LAMPING

Source	R7s (78mm)
Total power	80W
Emission	direct/indirect orientable
Switching	dimmable according to bulb
Tension	230V
IP class	20
Dimensions	17x13x8cm
Materials	aluminium
Notes	Only for horizontal installation. White body
Net lamp weight	0,8 kg

Codes	*Structure/Diffuser*
AVP HWD 31	white/natural anodized
AVP HWN 31	white/black anodized
AVP HWH 31	white/polished inox

PACKAGE

Package 01	Dimension: 15x24x10 cm / Gross weight: 0,9 kg

Certificazioni

0,2 m

LED



LAMPING

Source	LED board
Total power	10W
Emission	direct/indirect orientable
Switching	ON/OFF
Tension	230V
Color temperature	3000K
Luminous flux	235lm
Typ CRI	85
IP class	20
Dimensions	17x13x8cm
Materials	aluminium
Notes	White body
Net lamp weight	0,8 kg

Codes	*Structure/Diffuser*
AVP LWD 31	white/natural anodized
AVP LWN 31	white/black anodized
AVP LWR 31	white/red
AVP LWG 31	white/yellow
AVP LWB 31	white/blue
AVP LWH 31	white/polished inox
AVP LWW31	white/white

PACKAGE

Package 01	Dimension: 15x24x10 cm / Gross weight: 0,9 kg

Certificazioni

E14 LED/HALO/FLUO



LAMPING

Source	E14
Total power	8W
Emission	direct/indirect orientable
Switching	dimmable according to bulb
Tension	230V
IP class	20
Dimensions	17x13x8cm
Materials	aluminium
Notes	cable length 1,1m, switch on board, bulb Ømax 3cm (not included). With external cable plug (removable). White body. Red RAL3002, yellow RAL1033, blue RAL5002

Codes	*Structure/Diffuser*
AVP EWN 31	white/black anodized
AVP EWD 31	white/natural anodized
AVP EWR 31	white/red
AVP EWG 31	white/yellow
AVP EWB 31	white/blue
AVP EWH 31	white/polished inox
AVP EWW 31	white/white

PACKAGE

Package 01	Dimension: 15x24x10 cm

Certificazioni

LED OUTDOOR



LAMPING

Source	LED board
Total power	10W
Emission	direct/indirect orientable
Switching	dimmable TRIAC
Tension	230V
Color temperature	3000K
Luminous flux	235lm
Typ CRI	85
IP class	54
Dimensions	13x17x8,5cm
Materials	aluminium
Notes	white body, white RAL 9003, red RAL 3002, yellow RAL 1033, blue RAL 5002

Codes	*Structure/Diffuser*
AVP LWN 34	white/black anodized
AVP LWD 34	white/natural anodized
AVP LWW 34	white/white
AVP LWR 34	white/red
AVP LWG 34	white/yellow
AVP LWB 34	white/blue
AVP LWH 34	white/polished inox

Certificazioni

UK CA