


# ZIRKOL LINEAR

ZIRKOL – L 80 ist eine Familie von linear Hängeleuchten, die sich ideal für die allgemeine und dekorative Beleuchtung von Räumen eignen.

Gehäuse aus eloxiertem Aluminium und Opalschutz für homogene Beleuchtung. CRI > 90

Direkte oder doppelte Lichtemission mit hohem Lichtstrom und mit drei verschiedenen Farbtemperaturen.



## 1M | DOWNLIGHT - 2700K

### LAMPING

Source	Linear LED
Total power	14,5W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	2700K
Luminous flux	833lm
Typ CRI	90
Energy class	E
IP class	40
Dimensions	100x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIMLEDO20/24, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable   Ceiling plate, for false ceiling
Net lamp weight	1.2 kg

### Codes

BZRL1610G15DBO  
BZRL1610G15DNE  
BZRL1610G15DOR

### Structure

white  
black  
matt gold


### PACKAGE

Package 01 Dimension: 100x2,6x5 cm / Gross weight: 1.25 kg

### Certificazioni



NEMO<sup>lighting</sup>



## 1M | UP - DOWNLIGHT -2700K

### LAMPING

Source	Linear LED
Total power	29W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	2700K
Luminous flux	1666lm
Typ CRI	90
Energy class	E
IP class	40
Dimensions	100x2,6x5cm
Materials	Aluminum
Notes	included: 1 driver WALIM60W24VIN, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable   Ceiling plate, for false ceiling
Net lamp weight	1.2 kg

### Codes

BZRL1710G15DBO  
BZRL1710G15DNE  
BZRL1710G15DOR

### Structure

white  
black  
matt gold


### PACKAGE

Package 01 Dimension: 100x2,6x5 cm / Gross weight: 1.25 kg

### Certificazioni



NEMO<sup>3,000</sup>



## 1M | DOWNLIGHT - 3000K

### LAMPING

Source	Linear LED
Total power	14,5W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	3000K
Luminous flux	882lm
Typ CRI	90
Energy class	E
IP class	40
Dimensions	100x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIMLEDO20/24, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable   Ceiling plate, for false ceiling
Net lamp weight	1,2 kg

### Codes

BZRL1610G15WOB  
BZRL1610G15WNE  
BZRL1610G15WOR

### Structure

white  
black  
matt gold


### PACKAGE

Package 01 Dimension: 100x2,6x5 cm / Gross weight: 1,25 kg

### Certificazioni



NEMO<sup>3,000</sup>



## 1M | UP - DOWNLIGHT -3000K

### LAMPING

Source	Linear LED
Total power	29W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	3000K
Luminous flux	1764lm
Typ CRI	90
Energy class	E
IP class	40
Dimensions	100x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIM60W24VIN, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable   Ceiling plate, for false ceiling
Net lamp weight	1,2 kg

### Codes

BZRL1710G15WBO  
BZRL1710G15WNE  
BZRL1710G15WOR

### Structure

white  
black  
matt gold


### PACKAGE

Package 01 Dimension: 100x2,6x5 cm / Gross weight: 1,25 kg

### Certificazioni



NEMO<sup>3,000</sup>



## 1M | DOWNLIGHT - 4000K

### LAMPING

Source	Linear LED
Total power	14,5W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	4000K
Luminous flux	980lm
Typ CRI	90
Energy class	D
IP class	40
Dimensions	100x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIMLEDO20/24, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable   Ceiling plate, for false ceiling
Net lamp weight	1,2 kg

### Codes

BZRL1610G15NBO  
BZRL1610G15NNE  
BZRL1610G15NOR

### Structure

white  
black  
matt gold


### PACKAGE

Package 01 Dimension: 100x2,6x5 cm / Gross weight: 1,25 kg

### Certificazioni



NEMO<sup>lighting</sup>



## 1M | UP - DOWNLIGHT - 4000K

### LAMPING

Source	Linear LED
Total power	29W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	4000K
Luminous flux	1960lm
Typ CRI	90
Energy class	D
IP class	40
Dimensions	100x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIM60W24VIN, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable   Ceiling plate, for false ceiling
Net lamp weight	1,2 kg

### Codes

BZRL1710G15NBO  
BZRL1710G15NNE  
BZRL1710G15NNE

### Structure

white  
black  
matt gold


### PACKAGE

Package 01 Dimension: 200x2,6x5 cm / Gross weight: 2,55 kg

### Certificazioni



NEMO<sup>3,000</sup>



## 2M | DOWNLIGHT - 2700K

### LAMPING

Source	Linear LED
Total power	29W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	2700K
Luminous flux	1666lm
Typ CRI	90
Energy class	E
IP class	40
Dimensions	200x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIM60W24VIN, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable   Ceiling plate, for false ceiling
Net lamp weight	2,4 kg

### Codes

BZRL1620G15DBO  
BZRL1620G15DNE  
BZRL1620G15DOR

### Structure

white  
black  
matt gold


### PACKAGE

Package 01 Dimension: 200x2,6x5 cm / Gross weight: 2,55 kg

### Certificazioni



NEMO<sup>lighting</sup>





## 2M | UP - DOWNLIGHT - 2700K

### LAMPING

Source	Linear LED
Total power	58W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	2700K
Luminous flux	3332lm
Typ CRI	90
Energy class	E
IP class	40
Dimensions	200x2,6x5cm
Materials	Aluminum
Notes	included: 1 driver WALIM60W24VIN, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable   Ceiling plate, for false ceiling
Net lamp weight	2,4 kg

### Codes

BZRL1720G15DBO  
BZRL1720G15DNE  
BZRL1720G15DOR

### Structure

white  
black  
matt gold


### PACKAGE

Package 01 Dimension: 200x2,6x5 cm / Gross weight: 2,55 kg

### Certificazioni



NEMO<sup>3,000</sup>



## 2M | DOWNLIGHT - 3000K

### LAMPING

Source	Linear LED
Total power	29W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	3000K
Luminous flux	1764lm
Typ CRI	90
Energy class	E
IP class	40
Dimensions	200x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIM60W24VIN, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable   Ceiling plate, for false ceiling
Net lamp weight	2,4 kg

### Codes

BZRL1620G15WBO  
BZRL1620G15WNE  
BZRL1620G15WOR

### Structure

white  
black  
matt gold


### PACKAGE

Package 01 Dimension: 200x2,6x5 cm / Gross weight: 2,55 kg

### Certificazioni



NEMO<sup>3,000</sup>



## 2M | UP - DOWNLIGHT - 3000K

### LAMPING

Source	Linear LED
Total power	58W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	3000K
Luminous flux	3528lm
Typ CRI	90
Energy class	E
IP class	40
Dimensions	200x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIM60W24VIN, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable   Ceiling plate, for false ceiling
Net lamp weight	2,4 kg

### Codes

BZRL1720G15WBO  
BZRL1720G15WNE  
BZRL1720G15WOR

### Structure

white  
black  
matt gold


### PACKAGE

Package 01 Dimension: 200x2,6x5 cm / Gross weight: 2,55 kg

### Certificazioni



NEMO<sup>lighting</sup>



## 2M | DOWNLIGHT - 4000K

### LAMPING

Source	Linear LED
Total power	29W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	4000K
Luminous flux	1960lm
Typ CRI	90
Energy class	D
IP class	40
Dimensions	200x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIM60W24VIN, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable   Ceiling plate, for false ceiling
Net lamp weight	2,4 kg

### Codes

BZRL1620G15NBO  
BZRL1620G15NNE  
BZRL1620G15NOR

### Structure

white  
black  
matt gold


### PACKAGE

Package 01 Dimension: 200x2,6x5 cm / Gross weight: 2,55 kg

### Certificazioni



NEMO<sup>lighting</sup>



## 2M | UP - DOWNLIGHT - 4000K

### LAMPING

Source	Linear LED
Total power	58W
Emission	Diffused orientable
Switching	DALI 1-100V
Tension	220/240V
Color temperature	4000K
Luminous flux	3920lm
Typ CRI	90
Energy class	D
IP class	40
Dimensions	200x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIM60W24VIN, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Accessories	Canopy box, 1 driver, 1 electrical cable   Ceiling plate, for false ceiling
Net lamp weight	2,4 kg

### Codes

BZRL1720G15NBO  
BZRL1720G15NNE  
BZRL1720G15NOR

### Structure

white  
black  
matt gold

### PACKAGE

Package 01 Dimension: 200x2,6x5 cm / Gross weight: 2,55 kg

### Certificazioni

