

UNTITLED MINI SPOT

Bernhard Osann

Eine definitive Synthese aus Mechanik und Lichttechnik, ein klares und essentielles Design mit miniaturisierten Gelenken, die eine extreme Bewegungsverflexibilität ermöglichen. Die Linear-Version wurde explizit mit Optik entworfen, um maximalen Sehkomfort in Arbeitsumgebungen zu gewährleisten.



2700K

LAMPING

Source	LED spot
Total power	5W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature	2700K
Luminous flux	495lm
Typ CRI	90
IP class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 40° optic 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately
Accessories	Desk clamp, Table base, Wall fixing,

Codes

- UNT LN2 16
- UNT LW2 16
- UNT LD2 16
- UNT LG2 16

Structure

- black
- white
- titan grey
- gold

Certificazioni



BASE



DESK CLAMP



WALL FIXING



3000K

LAMPING

Source	LED spot
Total power	5W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature	3000K
Luminous flux	495lm
Typ CRI	90
IP class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 40° optic 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately
Accessories	Desk clamp, Table base, Wall fixing,

Codes

- UNT LNN 16
- UNT LWW 16
- UNT LDD 16
- UNT LGG 16

Structure

- black
- white
- titan grey
- gold

Certificazioni



BASE



DESK CLAMP



WALL FIXING

