

ZIRKOL TRACK OPAL

Die neue Leuchte der Kollektion, Zirkol Linear Track Opal, besteht aus einem linearen Aluminiumprofil, das in den Farben Schwarz und Weiß angeboten wird. Sie ist mit einem opalen Abdeckung für eine direkte und homogene Beleuchtung ausgestattet, mit einer LED-Farbtemperatur von 3000K oder 4000K. Eingebauter Treiber.



3000K | 0,84M

LAMPING

Source	Linear LED
Total power	26W
Switching	ON/OFF
Tension	220/240V
Color temperature	3000k
Typ CRI	>90
Notes	driver included RAL 9005 black RAL 9016 white

Codes

BZRL54084G15NBO



BZRL54084G15NNE

Structure

white

black

Certificazioni



3000K | 1,15M

LAMPING

Source	Linear LED
Total power	26W
Switching	ON/OFF
Tension	220/240V
Color temperature	3000k
Typ CRI	>90
Notes	driver included RAL 9005 black RAL 9016 white

Codes

BZRL54115G15NBO



BZRL54115G15NNE

Structure

white

black

Certificazioni



4000K | 0,84M

LAMPING

Source	Linear LED
Total power	26W
Switching	ON/OFF
Tension	220/240V
Color temperature	4000K
Typ CRI	>90
Notes	driver included RAL 9005 black RAL 9016 white



Codes

BZRL54084G15WBO
BZRL54084G15WNE

Structure

white
black

Certificazioni



4000K | 1,15M

LAMPING

Source	Linear LED
Total power	26W
Switching	ON/OFF
Tension	220/240V
Color temperature	4000K
Typ CRI	>90
Notes	driver included RAL 9005 black RAL 9016 white

Codes

BZRL54115G15WBO

BZRL54115G15WNE

Structure

white

black

Certificazioni

