

ARA FLOOR

Ilaria Marelli

Family of floor and wall lamps, with fluorescent, LED and halogen sources depending on the version.

It is composed by two elements in extruded aluminium: depending on versions, structure is painted in white, anthracite, champagne and moka, while the rotating illuminated structure can be glossy anodized or painted matt white or anthracite.

The LED or halogen uplight source is integrated in the upper part of the structure and it creates a widespread light, while a fluorescent or LED source is integrated in the main structure for a widespread and adjustable light.

The power supply is integrated for both versions while the dimmer is on the cable in the LED + LED version and integrated in the DTW version.



LED

LAMPING

Source	LED board + linear LED
Total power	23+40W
Emission	up and side vertical emission, indirect
Switching	double, dimmable (DALI on request)
Tension	230V
Color temperature	2700K/3000K
Luminous flux	1820+3060lm
Typ CRI	83
Energy class	A+
Materials	aluminium + PMMA
Notes	orientable diffuser, up and side emission, anthracite RAL7016, champagne RAL9007

Codes

ARA TWW 2B
ARA TWL 2B
ARA TXL 2B
ARA TDL 2B
ARA TXX 2B
ARA TML 2B


Structure/Diffuser

white/white
white/polished
anthracite/polished
champagne/polished
anthracite/anthracite
moka/polished

PACKAGE

Package 01	Dimension: 51x39x12 cm / Gross weight: 13 kg
Package 02	Dimension: 31x16x183 cm / Gross weight: 9 kg

Certificazioni



LED DTW

LAMPING

Source	LED board + linear LED
Total power	27+45W
Emission	up and side vertical emission, indirect
Switching	double, dimmable dim to warm on board
Tension	220-240V
Color temperature	from 2200K to 3000K
Luminous flux	2390lm + 3426lm
Typ CRI	83
Energy class	A+
Materials	aluminium + PMMA
Notes	orientable side diffuser, up and side emission, anthracite RAL7016, champagne RAL9007

Codes

ARA LWW 24
ARA LXX 24
ARA LDL 24
ARA LXL 24
ARA LML 24

Structure/Diffuser

white/white
anthracite/anthracite
champagne/polished
anthracite/polished
moka/polished

Certificazioni

