

# ARA WALL

*Ilaria Marelli*

Ara was inspired by architectural light cuts, while featuring a rotating body that allows light to be modulated and redirected. The DIM TO WARM technology allows to modify the light's colour temperature, switching smoothly from vivid white to soft warm, replicating the same effect as an old incandescent bulb.



## 69 LED

### LAMPING

Source	linear LED
Total power	2x16W
Emission	diffused
Switching	dimnable DALI/push
Tension	230V
Color temperature	3000K
Luminous flux	3600lm
Typ CRI	85
IP class	20
Materials	aluminium + PMMA
Notes	orientable diffuser, anthracite RAL7016, champagne RAL9007
Net lamp weight	3,5 kg

### Codes

ARA LWW 32  
ARA LWL 32  
ARA LXL 32  
ARA LDL 32


### Structure/Diffuser

white/white  
white/polished  
anthracite/polished  
champagne/polished

### PACKAGE

Package 01 Dimension: 80x30x19 cm / Gross weight: 4,5 kg

### Certificazioni



## 29 LED | 2700K

### LAMPING

Source	linear LED
Total power	11,5W
Emission	diffused
Switching	dimnable, TRIAC
Tension	230V
Color temperature	2700K
Luminous flux	911lm
Typ CRI	85
IP class	20
Dimensions	29x9x4
Materials	Aluminium + PMMA
Notes	orientable diffuser, anthracite RAL 7016


### Codes

ARA LWW 36  
ARA LXX 36  
ARA LWL 36  
ARA LXL 36  
ARA LDL 36

### Structure/Diffuser

white/white  
anthracite/anthracite  
white/polished  
anthracite/polished  
champagne/polished

### Certificazioni



## 29 LED | 3000K

### LAMPING

Source	linear LED
Total power	11,5W
Emission	diffused
Switching	dimnable TRIAC
Tension	230V
Color temperature	3000K
Luminous flux	911lm
Typ CRI	85
IP class	20
Dimensions	29x9x4
Materials	Aluminium+PMMA
Notes	orientable diffuser, anthracite RAL 7016

### Codes

ARA LWW 37  
ARA LXX 37  
ARA LWL 37  
ARA LXL 37  
ARA LDL 37

### Structure/Diffuser

white/white  
anthracite/anthracite  
white/polished  
anthracite/polished  
champagne/polished

### Certificazioni

