


# LINESCAPES

## PENDANT HORIZONTAL

A clear and compact light line defines a classic in the world of lighting. Inspired by a special project for a private collection of contemporary art, Linescapes is versatile with a high luminous efficacy guaranteed by its multidirectional linear development.



# L130 - 2700K

## LAMPING

Source	linear LED
Total power	19W
Emission	diffused side emission
Switching	dimmable 1-10V
Tension	110-240V
Color temperature	2700K
Luminous flux	1125lm
Typ CRI	85
IP class	20
Materials	Aluminium + PC + ABS
Notes	metal cable length 3m, electric cable length 3m, white RAL 9003, black RAL 9005, 360° orientable, DALI version on request (+120€)

## Codes

LIN LW2 5D  
LIN LN2 5D


## Structure

white  
black

## PACKAGE

Package 01 Dimension: 65x18x23 cm / Gross weight: 2,5 kg  
Package 02 Dimension: 110x5x5 cm / Gross weight: 1 kg

## Certificazioni



# L130 - 3000K

## LAMPING

Source	linear LED
Total power	19W
Emission	diffused side emission
Switching	dimmable 1-10V
Tension	110-240V
Color temperature	3000K
Luminous flux	1125lm
Typ CRI	85
IP class	20
Materials	Aluminium + PC + ABS
Notes	metal cable length 3m, electric cable length 3m, white RAL 9003, black RAL 9005, 360° orientable, DALI version on request (+120€)

## Codes

LIN LWW 5D  
LIN LNN 5D


## Structure

white  
black

## PACKAGE

Package 01 Dimension: 65x18x23 cm / Gross weight: 2,5 kg  
Package 02 Dimension: 110x5x5 cm / Gross weight: 1 kg

## Certificazioni



# L200 - 2700K

## LAMPING

Source	linear LED
Total power	33W
Emission	diffused side emission
Switching	dimmable 1-10V
Tension	110-240V
Color temperature	2700K
Luminous flux	1765lm
Typ CRI	85
IP class	20
Materials	Aluminium + PC + ABS
Notes	metal cable length 3m, electric cable length 3m, white RAL 9003, black RAL 9005, 360° orientable, DALI version on request (+120€)

## Codes

LIN LW2 5E  
LIN LN2 5E


## Structure

white  
black

## PACKAGE

Package 01 Dimension: 65x18x23 cm / Gross weight: 2,5 kg  
Package 02 Dimension: 175x5x5 cm / Gross weight: 1 kg

## Certificazioni



## L200 - 3000K

### LAMPING

Source	linear LED
Total power	33W
Emission	diffused side emission
Switching	dimmable 1-10V
Tension	110-240V
Color temperature	3000K
Luminous flux	1765lm
Typ CRI	85
IP class	20
Materials	Aluminium + PC + ABS
Notes	metal cable length 3m, electric cable length 3m, white RAL 9003, black RAL 9005, 360° orientable, DALI version on request (+120€)

### Codes

LIN LWW 5E

LIN LNN 5E

### Structure

white

black

### PACKAGE

Package 01

Dimension: 65x18x23 cm / Gross weight: 2,5 kg

Package 02

Dimension: 175x5x5 cm / Gross weight: 1 kg

### Certificazioni

