

# LINESCAPES CANTILEVERED

A clear and compact light line defines a classic in the world of lighting. Inspired by a special project for a private collection of contemporary art, Linescapes is versatile with a high luminous efficacy guaranteed by its multidirectional linear development.



2700K

## LAMPING

|                   |  |
|-------------------|--|
| Source            | linear LED   |
| Total power       | 12W  |
| Emission          | diffused side emission   |
| Tension           | 24V DC   |
| Color temperature | 2700K  |
| Luminous flux     | 475lm  |
| Typ CRI           | 85   |
| IP class          | 20   |
| Materials         | Aluminium + PC + ABS   |
| Notes             | 340° orientable, driver not included, recessing box included , wall board for installation included, recessed hole 13x11cm depth 9cm |
| Net lamp weight   | 1,5 kg   |

## Codes

LIN LW2 34

## Structure

white

## PACKAGE

Package 01

Dimension: 20x15x145 cm / Gross weight: 3 kg

## Certificazioni



3000K

## LAMPING

|                   |  |
|-------------------|--|
| Source            | linear LED   |
| Total power       | 12W  |
| Emission          | diffused side emission   |
| Tension           | 24V DC   |
| Color temperature | 3000K  |
| Luminous flux     | 475lm  |
| Typ CRI           | 85   |
| IP class          | 20   |
| Materials         | Aluminium + PC + ABS   |
| Notes             | 340° orientable, driver not included, recessing box included , wall board for installation included, recessed hole 13x11cm depth 9cm |
| Net lamp weight   | 1,5 kg   |

## Codes

LIN LWW 34

## Structure

white

## PACKAGE

Package 01

Dimension: 20x15x145 cm / Gross weight: 3 kg

## Certificazioni

