# TRU FLOOR

Roberto Paoli

Sculptural, sleek, compact: two light panels compose a parallelepiped, leaving space for an empty slot, but concealing the light source through an optical effect. Made of aluminium, Tru provides indirect and diffuse light through two internal LED strips and an LED element on top. Equipped with a double dimmer for independent control of the two light sources.





NEMO

# 2700K

### **LAMPING**

Source linear LED + LED board

Total power 16+33W

Emission up + back, indirect

Switching double switch, dimmer on board

Tension 110-240V Color temperature 2700K

Luminous flux 2125lm (up)+1765lm (back)

Typ CRI 85 IP class 20

Materials aluminium + PC
Notes cable length 3,3m

Net lamp weight 9 kg

Codes Structure


TRU LWW 25 white
TRU LNN 25 black
TRU LDD 25 titan grey
TRU LGG 25 gold painted

**PACKAGE** 

Package 01 Dimension: 28x26x20 cm / Gross weight: 8 kg
Package 02 Dimension: 22x17x191 cm / Gross weight: 4 kg

Certificazioni

C € ERIC ĽK



# 3000K

### **LAMPING**

Source linear LED + LED board

Total power 16+33W

Emission up + back, indirect

Switching double switch, dimmer on board

Tension 110-240V Color temperature 3000K

Luminous flux 2125lm (up) +1765lm (back)

Typ CRI 85 IP class 20

Materials aluminium + PC
Notes cable length 3,3m

Net lamp weight 9 kg

Codes Structure

TRU LWW 24 white
TRU LNN 24 black
TRU LDD 24 titan grey
TRU LGG 24 gold painted

**PACKAGE** 

Package 01 Dimension: 28x26x20 cm / Gross weight: 8 kg
Package 02 Dimension: 22x17x191 cm / Gross weight: 4 kg

Certificazioni

C € ERIC ĽK

