

# UNTITLED TABLE/WALL SPOT

*Bernhard Osann*

A definitive synthesis of mechanics and lighting technology, this design is clean and essential, with miniaturized joints that allow for extreme flexibility of movement. The Linear version has been designed explicitly with optics to ensure maximum visual comfort in work environments.



2700K

### LAMPING

Source	LED spot
Total power	5W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature	2700K
Luminous flux	395lm
Typ CRI	90
IP class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 40° optic 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately. Black RAL 9005, white RAL 9003, titan grey RAL VL047, gold RAL VL054

Accessories	Desk clamp,   Table base,   Wall fixing,
Net lamp weight	1 kg

### Codes

UNT LNN 12  
UNT LWW 12  
UNT LDD 12  
UNT LGG 12


### Structure

black  
white  
titan grey  
gold

### PACKAGE

Package 01 Dimension: 56x46x10 cm / Gross weight: 1,5 kg

### Certificazioni



3000K

### LAMPING

Source	LED spot
Total power	5W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature	3000K
Luminous flux	395lm
Typ CRI	90
IP class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 40° optic 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately. Black RAL 9005, white RAL 9003, titan grey RAL VL047, gold RAL VL054

Accessories	Desk clamp,   Table base,   Wall fixing,
Net lamp weight	1 kg

### Codes

UNT LNN 14  
UNT LWW 14  
UNT LDD 14  
UNT LGG 14

### Structure

black  
white  
titan grey  
gold

### PACKAGE

Package 01 Dimension: 56x46x10 cm / Gross weight: 1,5 kg

### Certificazioni

