

# UNTITLED TABLE/WALL SPOT

*Bernhard Osann*

A definitive synthesis of mechanics and lighting technology, this design is clean and essential, with miniaturized joints that allow for extreme flexibility of movement. The Linear version has been designed explicitly with optics to ensure maximum visual comfort in work environments.



2700K

LAMPING

Source	LED spot
Total power	6,5W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature	2700K
Luminous flux	395lm
Typ CRI	90
IP class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 40° optic 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately. Black RAL 9005, titan grey RAL VL047, gold RAL VL054
Accessories	Desk clamp,   Table base,   Wall fixing,
Net lamp weight	1 kg

Codes

- UNT LNN 12
- UNT LWW 12
- UNT LDD 12
- UNT LGG 12

Structure


- black
- white
- titan grey
- gold

PACKAGE

Package 01

Dimension: 56x46x10 cm / Gross weight: 1,5 kg

Certificazioni



3000K

LAMPING

Source	LED spot
Total power	6,5W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature	3000K
Luminous flux	395lm
Typ CRI	90
IP class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 40° optic 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately. Black RAL 9005, titan grey RAL VL047, gold RAL VL054
Accessories	Desk clamp,   Table base,   Wall fixing,
Net lamp weight	1 kg

Codes

- UNT LNN 14
- UNT LWW 14
- UNT LDD 14
- UNT LGG 14

Structure

- black
- white
- titan grey
- gold

PACKAGE

Package 01

Dimension: 56x46x10 cm / Gross weight: 1,5 kg

Certificazioni

