

# UNTITLED TABLE/WALL LINEAR

*Bernhard Osann*

A definitive synthesis of mechanics and lighting technology, this design is clean and essential, with miniaturized joints that allow for extreme flexibility of movement. The Linear version has been designed explicitly with optics to ensure maximum visual comfort in work environments.



2700K

### LAMPING

Source	linear LED
Total power	4,5W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature	2700K
Luminous flux	485lm
Typ CRI	90
IP class	20
Dimensions	56x46x10mm
Materials	aluminum, technopolymer
Notes	

Cable length 2m, 40° optic LED spot, 155° joint rotation.  
Accessories (base, desk clamp, wall fixing) sold separately.  
Black RAL 9005, white RAL 9003, titan grey RAL VL047, gold RAL VL054

Accessories	Desk clamp,   Table base,   Wall fixing,
Net lamp weight	1 kg

### Codes

- UNT LNN 11
- UNT LWW 11
- UNT LDD 11
- UNT LGG 11


### Structure

- black
- white
- titan grey
- gold

### PACKAGE

Package 01	Dimension: 56x46x10 cm / Gross weight: 1,35 kg
------------	--

### Certificazioni



# 3000K

## LAMPING

Source	linear LED
Total power	4,5W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature	3000K
Luminous flux	485lm
Typ CRI	90
IP class	20
Dimensions	56x46x10mm
Materials	aluminum, technopolymer
Notes	

Cable length 2m, 40° optic LED spot, 155° joint rotation.  
Accessories (base, desk clamp, wall fixing) sold separately.  
Black RAL 9005, white RAL 9003, titan grey RAL VL047, gold RAL VL054

Accessories	Desk clamp,   Table base,   Wall fixing,
Net lamp weight	1 kg

## Codes

UNT LNN 13  
UNT LWW 13  
UNT LDD 13  
UNT LGG 13

## Structure

black  
white  
titan grey  
gold

## PACKAGE

Package 01	Dimension: 56x46x10 cm / Gross weight: 1,35 kg
------------	--

## Certificazioni

