


# UNTITLED READING LINEAR

*Bernhard Osann*

A definitive synthesis of mechanics and lighting technology, this design is clean and essential, with miniaturized joints that allow for extreme flexibility of movement. The Linear version has been designed explicitly with optics to ensure maximum visual comfort in work environments.



# 2700K

## LAMPING

|                   |                                      |
|-------------------|--------------------------------------|
| Source            | linear LED                           |
| Total power       | 7W                                   |
| Emission          | direct                               |
| Switching         | dimmable on board                    |
| Tension           | 110-240V                             |
| Color temperature | 2700K                                |
| Luminous flux     | 485lm                                |
| Typ CRI           | 90                                   |
| IP class          | 20                                   |
| Dimensions        | 114x73                               |
| Notes             | Cable length 2m, 155° joint rotation |
| Net lamp weight   | 5 kg                                 |

## Codes

UNT LN2 2A


## Structure

black

## PACKAGE

|            |  |
|------------|--|
| Package 01 | Dimension: 206x15x11 cm / Gross weight: 4,5 kg |
| Package 02 | Dimension: 24x20x8 cm / Gross weight: 1,5 kg   |

## Certificazioni



# 3000K

## LAMPING

|                   |                                      |
|-------------------|--------------------------------------|
| Source            | linear LED                           |
| Total power       | 7W                                   |
| Emission          | direct                               |
| Switching         | dimmable on board                    |
| Tension           | 110-240V                             |
| Color temperature | 3000K                                |
| Luminous flux     | 485lm                                |
| Typ CRI           | 90                                   |
| Dimensions        | 114x73                               |
| Notes             | Cable length 2m, 155° joint rotation |
| Net lamp weight   | 5 kg                                 |

## Codes

UNT LNN 2A

## Structure

black

## PACKAGE

Package 01

Dimension: 206x15x11 cm / Gross weight: 4,5 kg

Package 02

Dimension: 24x20x8 cm / Gross weight: 1,5 kg

## Certificazioni

