

# SALINA

Family of recessed indoor downlights for accent lighting.

The luminaire/fixture is rotatable by 30° vertically and 355° horizontally to allow the free orientation of the light in any direction.

The modular structure separates the lamp into several independent parts.

The outer rings with different finishes are simple to assemble and can be replaced easily to meet different opening requirements and appearance effects.

A variety of optical accessories are available to achieve different lighting effects.



# RECESSED TRIMLESS 15° | 2700K

## LAMPING

|                   |                              |
|-------------------|------------------------------|
| Source            | LED spot                     |
| Total power       | 10W                          |
| Emission          | Direct adjustable 15°        |
| Switching         | according to driver          |
| Tension           | 270mA                        |
| Color temperature | 2700K                        |
| Luminous flux     | 640lm                        |
| Typ CRI           | > 90                         |
| Energy class      | F                            |
| IP class          | 20                           |
| Dimensions        | ø7,1x9cm                     |
| Notes             | driver and ring not included |
| Accessories       | Drivers, Salina   Ring,      |
| Net lamp weight   | 0,27 kg                      |

## Codes

SAL LW2 61

## Structure

white

## PACKAGE



Package 01

Dimension: 46x42x22 cm / Gross weight: 0,31 kg



## Certificazioni



## TRIMLESS



## TRIM



# RECESSED TRIMLESS 15° | 3000K

## LAMPING

|                   |                              |
|-------------------|------------------------------|
| Source            | LED spot                     |
| Total power       | 10W                          |
| Emission          | Direct adjustable 15°        |
| Switching         | according to driver          |
| Tension           | 270mA                        |
| Color temperature | 2700K                        |
| Luminous flux     | 740lm                        |
| Typ CRI           | > 90                         |
| Energy class      | F                            |
| IP class          | 20                           |
| Dimensions        | ø7,1x9cm                     |
| Notes             | driver and ring not included |
| Accessories       | Drivers, Salina   Ring,      |
| Net lamp weight   | 0,27 kg                      |

## Codes

SAL LW3 61

## Structure

white

## PACKAGE



Package 01

Dimension: 46x42x22 cm / Gross weight: 0,31 kg



## Certificazioni



## TRIMLESS



## TRIM



# RECESSED TRIMLESS 35° | 3000K

## LAMPING

|                   |                              |
|-------------------|------------------------------|
| Source            | LED spot                     |
| Total power       | 10W                          |
| Emission          | Direct adjustable 35°        |
| Switching         | according to driver          |
| Tension           | 270mA                        |
| Color temperature | 3000K                        |
| Luminous flux     | 770lm                        |
| Typ CRI           | > 90                         |
| Energy class      | F                            |
| IP class          | 20                           |
| Dimensions        | ø7,1x9cm                     |
| Notes             | driver and ring not included |
| Accessories       | Drivers, Salina   Ring,      |
| Net lamp weight   | 0,27 kg                      |

## Codes

SAL LW3 63

## Structure

white

## PACKAGE



Package 01

Dimension: 46x42x22 cm / Gross weight: 0,31 kg



## Certificazioni



## TRIMLESS



## TRIM



## RECESSED TRIMLESS 35° | 2700K

### LAMPING

|                   |                              |
|-------------------|------------------------------|
| Source            | LED spot                     |
| Total power       | 10W                          |
| Emission          | Direct adjustable 35°        |
| Switching         | according to driver          |
| Tension           | 270mA                        |
| Color temperature | 2700K                        |
| Luminous flux     | 670lm                        |
| Typ CRI           | > 90                         |
| Energy class      | F                            |
| IP class          | 20                           |
| Dimensions        | ø7,1x9cm                     |
| Notes             | driver and ring not included |
| Accessories       | Drivers, Salina   Ring,      |
| Net lamp weight   | 0,27 kg                      |

### Codes

SAL LW2 63

### Structure

white

### PACKAGE



Package 01

Dimension: 46x42x22 cm / Gross weight: 0,31 kg



### Certificazioni



### TRIMLESS



### TRIM



# RECESSED TRIM 15° | 2700K

## LAMPING

|                   |                         |
|-------------------|-------------------------|
| Source            | LED spot                |
| Total power       | 10W                     |
| Emission          | Direct adjustable 15°   |
| Switching         | according to driver     |
| Tension           | 270mA                   |
| Color temperature | 2700K                   |
| Luminous flux     | 700lm                   |
| Typ CRI           | > 90                    |
| Energy class      | F                       |
| IP class          | 20                      |
| Dimensions        | ø8,5x9cm                |
| Accessories       | Drivers, Salina   Ring, |
| Net lamp weight   | 0,31 kg                 |

## Codes

SAT LW2 61

SAT LN2 61

## Structure

white

black

## PACKAGE



Package 01

Dimension: 50,8x41,5x22 cm / Gross weight: 0,34 kg



## Certificazioni



## TRIMLESS



## TRIM



# RECESSED TRIM 15° | 3000K

## LAMPING

|                   |                              |
|-------------------|------------------------------|
| Source            | LED spot                     |
| Total power       | 10W                          |
| Emission          | Direct adjustable 15°        |
| Switching         | according to driver          |
| Tension           | 270mA                        |
| Color temperature | 3000K                        |
| Luminous flux     | 700lm                        |
| Typ CRI           | > 90                         |
| Energy class      | F                            |
| IP class          | 20                           |
| Dimensions        | ø8,5x9cm                     |
| Notes             | driver and ring not included |
| Accessories       | Drivers, Salina   Ring,      |
| Net lamp weight   | 0,31 kg                      |

## Codes

SAT LW3 61  
SAT LN3 61

## Structure

white  
black

## PACKAGE



Package 01

Dimension: 50,8x41,5x22 cm / Gross weight: 0,34 kg



## Certificazioni



## TRIMLESS



## TRIM



## RECESSED TRIM 35° | 3000K

### LAMPING

|                   |                              |
|-------------------|------------------------------|
| Source            | LED spot                     |
| Total power       | 10W                          |
| Emission          | Direct adjustable 35°        |
| Switching         | according to driver          |
| Tension           | 270mA                        |
| Color temperature | 3000K                        |
| Luminous flux     | 700lm                        |
| Typ CRI           | > 90                         |
| Energy class      | F                            |
| IP class          | 20                           |
| Dimensions        | ø8,5x9cm                     |
| Notes             | driver and ring not included |
| Accessories       | Drivers, Salina   Ring,      |
| Net lamp weight   | 0,31 kg                      |

### Codes

SAT LW3 63  
SAT LN3 63

### Structure

white  
black

### PACKAGE



Package 01

Dimension: 50,8x41,5x22 cm / Gross weight: 0,34 kg



### Certificazioni



### TRIMLESS



### TRIM





## RECESSED TRIM 35° | 2700K

### LAMPING

|                   |                              |
|-------------------|------------------------------|
| Source            | LED spot                     |
| Total power       | 10W                          |
| Emission          | Direct adjustable 35°        |
| Switching         | according to driver          |
| Tension           | 270mA                        |
| Color temperature | 2700K                        |
| Luminous flux     | 700lm                        |
| Typ CRI           | > 90                         |
| Energy class      | F                            |
| IP class          | 20                           |
| Dimensions        | ø8,5x9cm                     |
| Notes             | driver and ring not included |
| Accessories       | Drivers, Salina   Ring,      |
| Net lamp weight   | 0,31 kg                      |

### Codes

SAT LW2 63  
SAT LN2 63

### Structure

white  
black

### PACKAGE



Package 01

Dimension: 50,8x41,5x22 cm / Gross weight: 0,34 kg

### Certificazioni



### TRIMLESS



### TRIM

