

UNTITLED MINI SPOT

Bernhard Osann


A definitive synthesis of mechanics and lighting technology, this design is clean and essential, with miniaturized joints that allow for extreme flexibility of movement. The Linear version has been designed explicitly with optics to ensure maximum visual comfort in work environments.



Source	LED spot
Total power	6,5W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature	2700K
Luminous flux	495lm
Typ CRI	90
IP class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 40° optic 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately
Accessories	Desk clamp, Table base, Wall fixing,

UNT LN2 16
UNT LW2 16
UNT LD2 16
UNT LG2 16

black
white
titan grey
gold



3000K

LAMPING

Source	LED spot
Total power	6,5W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature	3000K
Luminous flux	495lm
Typ CRI	90
IP class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 40° optic 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately
Accessories	Desk clamp, Table base, Wall fixing,

Codes

- UNT LNN 16
- UNT LWW 16
- UNT LDD 16
- UNT LGG 16

Structure

- black
- white
- titan grey
- gold

Certificazioni



BASE



DESK CLAMP



WALL FIXING

