HALYARD

Bernhard Osann

The essential and dynamic design of Halyard is inspired by the nautical world, evoking the lightness and precision of the halyards used to hoist sails. A system of ultra-thin cables, pulleys and counterweights allows smooth and precise light adjustment on two axes, while a swivelling spot offers high performance. Halyard can be installed in several configurations: wall-to-wall, wall-to-ceiling or ceiling-to-ceiling. The power supply, integrated in the counterweight, eliminates the need for additional ceiling connections.



NEMO

www.nemolighting.com HALYARD - 1/3

2700K

OWNERS HERE THE STATE OF STATE

LAMPING

Source LED SPOT zoom

Total power 12W

Switching dimmable on board

Tension 220/240V

Color temperature 2700K

Luminous flux 1370Im

IP class 20

Dimensions 188x230x32
Materials aluminium

Notes black RAL 9005, According to the height of the room

Codes Structure
HLY LNN 51 black

Certificazioni



3000K



LAMPING

Source LED SPOT zoom

Total power 12W

Switching dimmable on board

Tension 220/240V

Color temperature 3000K

Luminous flux 1370Im

IP class 20

Dimensions 188x230x32
Materials aluminium

Notes black RAL 9005, According to the height of the room

Codes Structure
HLY LNN 52 black

Certificazioni

