

CUBO CEILING

Cubo est une famille de plafonnier et applique conçue pour satisfaire d'une manière essentielle les besoins d'éclairage ponctuel avec des sources orientables QR111 LED et halogènes ou pour une lumière diffuse avec les versions LED board avec écran en méthacrylate opalin. Double émission avec G9 dans la version applique. Fabriquée en aluminium blanc mat. L'alimentation est intégrée dans le corps de la lampe.



LED

LAMPING

Source	LED board
Total power	16W
Emission	diffused downlight
Switching	dimmable 1-10 V, push
Tension	110/230V
Color temperature	3000K
Luminous flux	885lm
Typ CRI	80
Energy class	A+
Materials	Aluminium
Notes	special finishes on request
Net lamp weight	0,9 kg

Codes

CUB LWH 42


Structure

white

PACKAGE

Package 01	Dimension: 16x18x15 cm / Gross weight: 0,97 kg
------------	--

Certificazioni



LED/HALO

LAMPING

Source	G53 QR111 HALO/LED
Total power	70W HALO / 50W LED
Emission	direct downlight
Switching	dimnable TRAILING EDGE (IGBT), according to bulb
Tension	230V
Materials	Aluminium
Notes	30°orientable bulb, special finishes on request
Net lamp weight	0,9 kg

Codes

CUB LWH 44

Structure

white

PACKAGE

Package 01

Dimension: 16x18x15 cm / Gross weight: 0,97 kg

Certificazioni

