

LA ROCHE

Le Corbusier

De Villa La Roche, témoignage d'une architecture puriste, tire son nom de la première applique conçue à l'origine par Le Corbusier en 1925 pour éclairer les grandes fenêtres du bâtiment. Nemo la propose en mettant en valeur sa légèreté et sa fonctionnalité: La Roche est réalisée avec une structure en métal opaque et un diffuseur en verre opale façonné pour un éclairage homogène et harmonieux.



INDOOR IP20

LAMPING

Source	LED board
Total power	10W
Emission	diffused
Switching	dimmable TRIAC
Tension	230V
Color temperature	2700K
Luminous flux	925lm
Typ CRI	85
IP class	20
Materials	aluminum
Notes	available also in 120V, grey RAL7046, black RAL7021. Suggested dimmer: VIMAR 14136.1 (dimming range: from ~45% to 100%)
Net lamp weight	2 kg

Codes

ROC LDW 31
ROC LNW 31


Structure

grey
black

PACKAGE

Package 01 Dimension: 20x15x40 cm / Gross weight: 2,5 kg

Certificazioni



OUTDOOR IP45

LAMPING

Source	LED board
Total power	10W
Emission	diffused
Switching	dimmable TRIAC
Tension	230V
Color temperature	2700K
Luminous flux	925lm
Typ CRI	85
IP class	45
Notes	also available 120V, grey RAL 7046, black RAL7021. Suggested dimmer: VIMAR 14136.1 (dimming range: from ~45% to 100%)

Codes

ROC LDW 33
ROC LNW 33

Structure

grey
black

PACKAGE

Package 01 Dimension: 20x15x40 cm / Gross weight: 2,5 kg

Certificazioni

