

# UNTITLED MINI SPOT

*Bernhard Osann*

Projet de synthèse réussie de mécanique et de technologie de l'éclairage, ce design est épuré et essentiel, avec des articulations miniaturisées qui permettent une flexibilité extrême de mouvement. La version Linear a été conçue avec une optique spécifique pour assurer un confort visuel maximal dans les lieux de travail.



2700K

### LAMPING


Source	LED spot
Total power	6,5W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature	2700K
Luminous flux	395lm
Typ CRI	90
IP class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 40° optic 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately
Accessories	Desk clamp,   Table base,   Wall fixing,

### Codes

UNT LN2 16

### Structure

black



BASE



DESK CLAMP



WALL FIXING



### Certificazioni



3000K

### LAMPING


Source	LED spot
Total power	6,5W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature	3000K
Luminous flux	395lm
Typ CRI	90
IP class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 40° optic 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately
Accessories	Desk clamp,   Table base,   Wall fixing,

### Codes

UNT LNN 16

### Structure

black



BASE



DESK CLAMP



WALL FIXING



### Certificazioni

