

# ZIRKOL SIDE

Zirkol Side est la nouvelle lampe de la collection, la seule qui permet une émission de lumière latérale et homogène. Corps en aluminium anodisé et écran de protection opale. Zirkol Side est disponible en finition noir et blanc et en températures de couleur LED 2700K, 3000K et 4000K. Driver déporté et interface variation DALI inclus.



Ø1M | 2700K

## LAMPING

|             |                                                     |
|-------------|-----------------------------------------------------|
| Source      | Linear LED                                          |
| Total power | 136W                                                |
| Switching   | DALI 1-100%                                         |
| Tension     | 220/240V                                            |
| Typ CRI     | 90                                                  |
| Notes       | RAL 9005 black   RAL 9016 white   shipped assembled |


## Codes

BZRS1715G15DNE  
BZRS1715G15DBO


## Structure

black  
white

## Certificazioni



Ø1000/1500



Ø1M | 3000K

## LAMPING

|             |                                                     |
|-------------|-----------------------------------------------------|
| Source      | Linear LED                                          |
| Total power | 136W                                                |
| Switching   | DALI 1-100%                                         |
| Tension     | 220/240V                                            |
| Typ CRI     | 90                                                  |
| Notes       | RAL 9005 black   RAL 9016 white   shipped assembled |



## Codes

BZRS1715G15WNE  
BZRS1715G15WBO

## Structure

black  
white

## Certificazioni



Ø1M | 4000K

## LAMPING

|             |                                                     |
|-------------|-----------------------------------------------------|
| Source      | Linear LED                                          |
| Total power | 136W                                                |
| Switching   | DALI 1-100%                                         |
| Tension     | 220/240V                                            |
| Typ CRI     | 90                                                  |
| Notes       | RAL 9005 black   RAL 9016 white   shipped assembled |


## Codes

BZRS1715G15NNE  
BZRS1715G15NBO


## Structure

black  
white

## Certificazioni



Ø1000/1500



Ø1,5M | 2700K

## LAMPING

|                   |                                                     |
|-------------------|-----------------------------------------------------|
| Source            | Linear LED                                          |
| Total power       | 136W                                                |
| Switching         | DALI 1-100%                                         |
| Tension           | 220/240V                                            |
| Color temperature | 2700K                                               |
| Typ CRI           | 90                                                  |
| Notes             | RAL 9005 black   RAL 9016 white   shipped assembled |

## Codes

BZRS1715G15DNE


BZRS1715G15DBO

## Structure


black

white

## Certificazioni



Ø1000/1500



Ø1000/1500

Ø1,5M | 3000K

## LAMPING

|                   |                                                     |
|-------------------|-----------------------------------------------------|
| Source            | Linear LED                                          |
| Total power       | 136W                                                |
| Switching         | DALI 1-100%                                         |
| Tension           | 220/240V                                            |
| Color temperature | 3000K                                               |
| Typ CRI           | 90                                                  |
| Notes             | RAL 9005 black   RAL 9016 white   shipped assembled |

## Codes

BZRS1715G15WNE


BZRS1715G15WBO

## Structure


black

white

## Certificazioni



Ø1000/1500



Ø1,5M | 4000K

## LAMPING

|                   |                                                     |
|-------------------|-----------------------------------------------------|
| Source            | Linear LED                                          |
| Total power       | 136W                                                |
| Switching         | DALI 1-100%                                         |
| Tension           | 220/240V                                            |
| Color temperature | 4000K                                               |
| Typ CRI           | 90                                                  |
| Notes             | RAL 9005 black   RAL 9016 white   shipped assembled |


## Codes

BZRS1715G15NNE  
BZRS1715G15NBO

## Structure

black  
white

## Certificazioni



Ø1000/1500

