

# LINESCAPES CANTILEVERED

Un tratto di luce chiaro e compatto definisce un classico nel mondo dell'illuminazione. Ispirato a un progetto speciale per una collezione privata di arte contemporanea, Linescapes si presenta versatile e con un'elevata efficacia luminosa garantita dal suo sviluppo lineare multidirezionale.



2700K

## LAMPING

Source	linear LED
Total power	12W
Emission	diffused side emission
Tension	24V DC
Color temperature	2700K
Luminous flux	475lm
Typ CRI	85
IP class	20
Materials	Aluminium + PC + ABS
Notes	340° orientable, driver not included, recessing box included , wall board for installation included, recessed hole 13x11cm depth 9cm
Net lamp weight	1,5 kg

## Codes

LIN LW2 34

## Structure

white

## PACKAGE

Package 01

Dimension: 20x15x145 cm / Gross weight: 3 kg

## Certificazioni



3000K

## LAMPING

Source	linear LED
Total power	12W
Emission	diffused side emission
Tension	24V DC
Color temperature	3000K
Luminous flux	475lm
Typ CRI	85
IP class	20
Materials	Aluminium + PC + ABS
Notes	340° orientable, driver not included, recessing box included , wall board for installation included, recessed hole 13x11cm depth 9cm
Net lamp weight	1,5 kg

## Codes

LIN LWW 34

## Structure

white

## PACKAGE

Package 01

Dimension: 20x15x145 cm / Gross weight: 3 kg

## Certificazioni

