

# LINESCAPES WALL

Un tratto di luce chiaro e compatto definisce un classico nel mondo dell'illuminazione. Ispirato a un progetto speciale per una collezione privata di arte contemporanea, Linescapes si presenta versatile e con un'elevata efficacia luminosa garantita dal suo sviluppo lineare multidirezionale.



## L102 DIMMABLE PUSH | 2700K

### LAMPING

Source	Linear LED
Total power	19W
Emission	diffused side emission
Switching	dimnable push
Tension	110-240V
Color temperature	2700K
Luminous flux	1125lm
Typ CRI	85
IP class	20
Dimensions	102x6x2
Notes	driver on board

### Codes

LIN LW2 35  
LIN LN2 35


### Structure

white  
black

### Certificazioni



### DRIVER ON BOARD



## L102 DIMMABLE PUSH | 3000K

---

### LAMPING

Source	linear LED
Total power	19W
Emission	diffused side emission
Switching	dimnable push
Tension	110-240V
Color temperature	3000K
Luminous flux	1125lm
Typ CRI	85
IP class	20
Dimensions	102x6x2
Notes	driver on board

### Codes

LIN LWD 35  
LIN LND 35


### Structure

white  
black

### Certificazioni



### DRIVER ON BOARD



## L182 DIMMABLE PUSH | 2700K

---

### LAMPING

Source	Linear LED
Total power	33W
Emission	diffused side emission
Switching	dimnable push
Tension	110-240V
Color temperature	2700K
Luminous flux	1765lm
Typ CRI	85
IP class	20
Dimensions	182x6x2
Notes	driver on board

### Codes

LIN LW2 36  
LIN LN2 36


### Structure

white  
black

### Certificazioni



### DRIVER ON BOARD



## L182 DIMMABLE PUSH | 3000K

### LAMPING

Source	linear LED
Total power	33W
Emission	diffused side emission
Switching	dimnable push
Tension	110-240V
Color temperature	3000K
Luminous flux	1765lm
Typ CRI	85
IP class	20
Dimensions	182x6x2
Notes	driver on board

### Codes

LIN LWD 36  
LIN LND 36

### Structure

white  
black

### Certificazioni



### DRIVER ON BOARD

