


DABLIU

Lampada a sospensione in alluminio, composta da un'esile struttura dotata di tre punti luce e da diffusori selezionabili a scelta tra diverse versioni. Disponibili versione spot per un'illuminazione puntuale, versione con diffusore sferico in vetro soffiato opalino e versione dotata di cono metallico nelle finiture oro brunito e nero che consente di diffondere maggiormente la luce.



SPOT | 2700K

LAMPING

Source	LED spot
Total power	3x5W
Emission	direct
Switching	dimmable 1-10V
Tension	110-240V
Color temperature	2700K
Luminous flux	3x395lm
Typ CRI	90
Energy class	A+
IP class	20
Dimensions	Ø4,5x8cm
Materials	aluminum + PC + ABS
Notes	cabl length 3m, 40° optic


Codes
DAB LNN 51

Structure/Diffuser
black/black

PACKAGE

Package 01 Dimension: 15x80x150 cm

Certificazioni



SPOT | 3000K


LAMPING

Source	LED spot
Total power	3x5W
Emission	direct
Switching	dimmable 1-10V
Tension	110-240V
Color temperature	3000K
Luminous flux	3x395lm
Typ CRI	90
IP class	20
Dimensions	Ø4,5x8cm
Materials	aluminum + PC + ABS
Notes	cable length 3m, led spot beam angle 40°

Codes
DAB LNN 52

Structure/Diffuser
black/black

Certificazioni



GLOBE | 2700K


LAMPING

Source	G4 LED 12V
Total power	3x4W
Emission	diffused
Switching	dimnable 1-10V
Tension	110-240V
Color temperature	2700K
Luminous flux	3x350lm
Typ CRI	90
IP class	20
Dimensions	Ø10cm
Materials	aluminum + PC + ABS
Notes	cabl length 3m, LED bulb included

Codes
DAB LNN 53

Structure/Diffuser
black/white

Certificazioni



GLOBE | 3000K


LAMPING

Source	G4 LED 12V
Total power	3x4W
Emission	diffused
Switching	dimnable 1-10V
Tension	110-240V
Color temperature	3000K
Luminous flux	3x350lm
Typ CRI	90
Dimensions	Ø10cm
Materials	aluminum + PC + ABS
Notes	cable length 3m, LED bulb included

Codes
DAB LNN 54

Structure/Diffuser
black/white

Certificazioni



CONE | 2700K

LAMPING

Source	LED spot
Total power	3x5W
Emission	direct
Switching	dimnable 1-10V
Tension	110-240V
Color temperature	2700K
Luminous flux	3x395lm
Typ CRI	90
IP class	20
Dimensions	Ø10,5x9cm
Materials	aluminum + PC + ABS + glass
Notes	cable length 3m, 40° optic


Codes

DAB LNN 55

Structure/Diffuser

black/gold burnished

Certificazioni



CONE | 3000K

LAMPING

Source	LED spot
Total power	3x5W
Emission	direct
Switching	dimnable 1-10V
Tension	110-240V
Color temperature	3000K
Luminous flux	3x395lm
Typ CRI	90
IP class	20
Dimensions	Ø10,5x9cm
Materials	aluminum + PC + ABS + glass
Notes	cable length 3m, 40° optic

Codes

DAB LNN 56

Structure/Diffuser

black/gold burnished

Certificazioni

