


UNTITLED READING LINEAR

Bernhard Osann

Progetto di sintesi vincente di meccanica e illuminotecnica. Un design pulito ed essenziale, con snodi miniaturizzati che consentono un'estrema versatilità di movimento. La versione Linear è stata progettata con un'ottica specifica per garantire il massimo comfort visivo negli ambienti di lavoro.



2700K

LAMPING

| | |
|-------------------|--------------------------------------|
| Source | linear LED |
| Total power | 7W |
| Emission | direct |
| Switching | dimmable on board |
| Tension | 110-240V |
| Color temperature | 2700K |
| Luminous flux | 485lm |
| Typ CRI | 90 |
| IP class | 20 |
| Dimensions | 114x73 |
| Notes | Cable length 2m, 155° joint rotation |
| Net lamp weight | 5 kg |

Codes

UNT LN2 2A


Structure

black

PACKAGE

| | |
|------------|------------------------------------------------|
| Package 01 | Dimension: 206x15x11 cm / Gross weight: 4,5 kg |
| Package 02 | Dimension: 24x20x8 cm / Gross weight: 1,5 kg |

Certificazioni



3000K

LAMPING

| | |
|-------------------|--------------------------------------|
| Source | linear LED |
| Total power | 7W |
| Emission | direct |
| Switching | dimmable on board |
| Tension | 110-240V |
| Color temperature | 3000K |
| Luminous flux | 485lm |
| Typ CRI | 90 |
| Dimensions | 114x73 |
| Notes | Cable length 2m, 155° joint rotation |
| Net lamp weight | 5 kg |

Codes

UNT LNN 2A

Structure

black

PACKAGE

Package 01

Dimension: 206x15x11 cm / Gross weight: 4,5 kg

Package 02

Dimension: 24x20x8 cm / Gross weight: 1,5 kg

Certificazioni

